

## **OVERBERG DISTRICT MUNICIPALITY**

## PIPE CRACKING (80 METRES) AT DIE DAM RESORT

## **QUOTATION NOTICE AND INVITATION TO QUOTE**

The Overberg District Municipality invites quotations from service providers for Pipe Cracking (80 METRES) to be done at Die Dam Resort.

**IMPORTANT NOTICE:** This quotation is subject to Regulation 8 "Local Production and Content" of the Preferential Procurement Policy Framework Act, 2000: Preferential Procurement Regulations, 2017 (No. R.32 dated 20 January 2017). Submitting of the MBD 6.2 and applicable annexures are compulsory.

Quotations in sealed envelopes endorsed "Quotation Q18-2019/20: "PIPE CRACKING (80 METRES) AT DIE DAM RESORT" be placed in the tender box at the office of the Overberg District Municipality, 26 Long Street, Bredasdorp no later than 12:00 on Friday, 17 July 2020.

Quotations may only be submitted on the Quotation documentation that is issued. Electronic, facsimile, and late quotations will **NOT** be accepted or be considered.

Quotation documents can be obtained from Ms C Reid at <u>creid@odm.org.za</u> or Ms. D Kapot-Witbooi at <u>dkapot@odm.org.za</u>. Technical enquiries can be directed to Mr J Botha at e-mail <u>ibotha@odm.org.za</u>. Quotations will be considered on price and BBBEE status of the prospective suppliers as set out in the PPPFA. All bidders must submit a valid tax clearance certificate. The Overberg District Municipality reserves the right not to accept the lowest or any quotation.

MR D BERETTI MUNICIPAL MANAGER



# **OVERBERG DISTRICT MUNICIPALITY**

Closing Date:	12:00 Friday, 17 July 2020

Bid No: Q18-2019/20

Bid Title: PIPE CRACKING (80 METRES) AT DIE DAM RESORT

## SUBMIT BID DOCUMENTS

## TO/ OR

POSTAL ADDRESS:					
	TO BE DEPOSITED IN:				
Municipal Manager	The bid box at the entrance of the Municipal Offices of				
Private Bag X22	Overberg District Municipality				
Bredasdorp, 7280	26 Long Street				
(Ensure bid number and title are on envelope)	BREDASDORP				
ATTENTION:	A bid posted (at sender's risk) to the Municipal Manager,				
FINANCIAL DIRECTORATE	Private Bag X22, BREDASDORP, 7280 in good time so as to				
SUPPLY CHAIN UNIT	reach the Municipal Manager on or before the above-				
RECREATION STREET	mentioned closing date, may be accepted on condition that it				
BREDASDORP	is placed in the correct Bid box before the closing time, it				
	being understood that the Council disclaims any responsibility				
	for seeing that such bids are in fact lodged in the bid box.				
	1) Telephonic, facsimile, electronic/emailed and late bids will not be accepted.				
	<ol> <li>Do not dismember this Bid Document (do <u>not take it apart</u> or put documents between its pages)</li> </ol>				
	3) The PROPOSAL and all other documents of the submission must be attached				
	behind this Bid Document				
	4) The bidder must initial every page of the bid document				
CONTACT DETAILS FOR:					
Bid Specifications and Enquiries:	Bid Documentation:				
Mr J Botha	Ms C Reid				
Tel: (028) 0500 897	Tel: (028) 0500 910				
Email: jbotha@odm.org.za	Email: creid@odm.org.za				

NAME OF COMPANY: \_\_\_\_\_

DESCRIPTION	PAGE NUMBERS
Invitation to Bid – MBD 1	3
Bid Conditions and Information	4 – 10
Terms of Reference - TOR	11
Previous Experience	12
Technical Specifications - Specs	13 – 15
Details of Bidder	16
Resolution taken by board of directors/members/partners	17
Tax Clearance Requirements - MBD2 (Compulsory)	18
Pricing Schedule – MBD 3.1	19 – 22
Declaration of interest – MBD4 (Compulsory)	23 – 25
Responsiveness and evaluation criteria	26 – 27
General Conditions of Contract – MBD5	28 – 39
Preference Points Claim Form in terms of the Preferential Procurement Regulations 2017 – MBD6.1	40 – 44
Sworn Affidavit – B-BBEE EXEMPTED MICRO ENTERPRISE MBD6.1(a)	45
Declaration Certificate for Local Production and Content for Designated Sectors MBD6.2	46 – 50
Declaration of bidders past supply chain management practices – MBD8	51 – 52
Certificate of Independent Bid Determination – MBD9	53 – 55
Annexure A	56
Annexure B	57
Checklist for completeness of bid documentation	58

Checklist for completeness of bid documentation
Do not dismember this Bid Document (do not take it apart).

- All other documents of your submission must be attached behind this Bid Document.
- The bidder must initial every page of the bid document
- The checklist at the back of the bid document must be completed and adhered to.

INDEX



3

## YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE OVERBERG DISTRICT MUNICIPALITY

# BID NUMBER: Q18-2019/20CLOSING DATE: 17 July 2020DESCRIPTION: PIPE CRACKING (80 METRES) AT DIE DAM RESORT

The following conditions to bid exist:

(Failure to comply may result in your bid being disqualified)

- Bidders should ensure that bids are delivered timeously to the correct address as indicated below. If the bid is late, it will not be accepted for consideration. The bid box is generally open from 8:00 – 16:30, Monday – Thursday and from 8:00 – 16:00, Friday.
- 2. Bids may only be submitted on the bid documentation provided by the municipality
- 3. Only bidders who satisfy the eligibility criteria stated in the Standard Conditions of Bids are eligible to submit a bid.
- 4. Bid documents can be obtained during office hours from Monday to Thursday: 8:00 -13:00 and 13:30 16:30 and Fridays: 8:00 13:00 and 13:30 16:00 from the Overberg District Municipality, Supply Chain Unit, Recreation Street, Bredasdorp.
- 5. All bids received must be evaluated in terms of the Overberg District Municipality's Supply Chain Management Policy and the Preferential Procurement Policy Framework Act. The 80/20 preference points system will be applicable.
- 6. NB: No bids will be considered from persons in the service of the state (See MBD 4)
- 7. Telephonic, facsimile, electronic/emailed and late bids will not be accepted.
- 8. A tax clearance certificate must be attached (MBD 2) Bidders who are registered on the municipality's accredited supplier database and attached a valid tax clearance certificate or TTC PIN to their application form does not need to submit a valid tax clearance certificate with their bid document.
- 9. All bid prices must include VAT
- 10. Bidders must achieve the minimum local content for each item as specified (MBD 6.2)
- 11. For evaluation purposes, bidders need to attach a BBBEE verification certificate.
- 12. A bidder who does not have a BBBEE verification certificate will not be eligible for any preferential points.
- 13. The bids will be opened in the Council Chambers, Municipal offices, 26 Long Street, BREDASDORP in public immediately after the closing date at 12:00.
- 14. The lowest or any bid must not necessarily be accepted, and the Council reserves the right to accept any part of the bid.
- 15. All bids must be accompanied by a copy of the business registration documents.

## SUBMIT BID DOCUMENTS

POSTAL ADDRESS:	TO BE DEPOSITED IN:
Municipal Manager	The bid box at the entrance of the Municipal Offices of
Private Bag X22	Overberg District Municipality
Bredasdorp, 7280	26 Long Street
(Ensure bid number and title are on envelope)	BREDASDORP
ATTENTION:	
FINANCIAL DIRECTORATE, SUPPLY CHAIN	UNIT, RECREATION STREET, BREDASDORP
CONTACT DETAILS FOR:	
Bid Specifications and Enquiries:	Bid Documentation:
Mr J Botha	Ms C Reid
Tel: (028) 0500 897	Tel: (028) 0500 910
Email: jbotha@odm.org.za	Email: creid@odm.org.za

**CLOSING TIME: 12:00** 



## **BID CONDITIONS AND INFORMATION**

- 1. The Overberg District Municipality is not bound to accept the lowest, a part or any Bid at all.
- 2. No Bids per fax, e-mail or late Bids will be valid.
- 3. Only Bids submitted, which includes the attached Bids forms will be valid.
- 4. Payment will be made within 30 days of date of invoice.
- 5. All bids must be accompanied by a valid Tax Clearance Certificate or a Tax Clearance Certificate Pin and a copy of the company's latest municipal account (not older than 3 months), or a copy of the lease agreement if the company is leasing the property. Bidders who are registered on the municipality's accredited supplier database and have attached the above documents to their application form does not need to submit these documents with their bid document.
- 6. No alterations must be made to the Bid documents.
- 7. Conditions as stipulated in the Supply Chain Management Policy of the Overberg District Municipality will apply.
- For evaluation purposes prospective suppliers need to attach an original or certified copy of the original of a SANAS approved BBBEE verification certificate or a sworn affidavit. (Not a photocopy of another certified copy)
- 9. Bids must be placed in the Bid box as stipulated in the advertisement.
- 10. All requested relevant and/or additional documentation such as Compliance Certificates, professional registration, artisan qualification, etc., must be submitted with the bid document. Please attach requested or additional documents at the back and not in the page sequence.
- **11.** Bidders must have their own transport (if applicable).
- **12.** Bidders must arrange their own accommodation (if applicable).

## 13. Local Content

Only locally produced or locally manufactured goods, works and services with the stipulated minimum threshold for local production and content will be considered. Bidders must achieve the minimum local content, MBD 6.2 must be completed in this regard.

## 14. Completion of Bid Documents

- (a) The original bid document must be completed fully in black ink and signed by the authorised signatory to validate the proposal. All the pages must be initialled by the authorised signatory. Failure to do so may result in the invalidation of the bid which will result in the bid being non-responsive.
- (b) Bid documents may not be retyped or altered in any way. The complete Bid document must be returned. Missing pages will result in disqualification of the bid.
- (c) Any bid document received with correction fluid (Tippex) corrections must be disqualified.

## 15. Alteration or Qualification of Bid

No unauthorised alteration of this set of bid documents will be allowed. Any unauthorised alteration will disqualify the proposal automatically. Any ambiguity must be cleared with the contact person for the bid before the closure date.

## 16. Authorised Signatory

- (a) The Resolution taken by the Board of Directors, members, partners or trustees authorising the representative to submit this bid on the bidder's behalf must be attached to the bid document on submission of the Bid.
- (b) A bid must be eligible for consideration only if it bears the signature of the bidder or of some person duly and lawfully authorized to sign it for and on behalf of the bidder.

(c) If the resolution does not accompany the Bid of the successful bidder, the Municipality reserves the right to obtain such document after the closing date to verify that the signatory is in order. If no such document can be obtained within a period as specified by the Municipality, the bid will be disqualified.

## 17. Submission of Bid

- (a) The bid must be put in a sealed envelope, or envelopes when the two-envelope system is specified, clearly marked with the bid number, title as well as closing date and time and placed in the Bid Box at the Overberg District Municipality by not later than **12h00 on 17 July 2020**
- (b) Faxed, e-mailed and late bids will not be accepted. Bids may be delivered by hand, by courier, or posted at the bidder's risk and must be received by the deadline specified above, irrespective of how they are sent or delivered

## 18. Opening, Recording and Publications of Bids Received

(a) Bids will be opened in public immediately after the bid closure date, or at such time as specified in the bid documents. If requested by any bidder present, the names of the bidders, and if practical the total amount of each bid and of any alternative bids will be read out aloud.

## **19. Tax Clearance Certificate (TCC)**

- (a) A valid TCC must accompany the bid documents unless the Municipality has a valid TCC for the bidder on record. The onus is on the bidder to ensure that the Overberg District Municipality has a TCC on record and obtain confirmation from the Supply Chain Management Unit of the Overberg District Municipality.
- (b) Bids not supported by a valid Tax Clearance Certificate, either as an attachment to the bid documents or on record in the case of suppliers registered on the Supplier Database of the Overberg District Municipality will be invalidated.
- (c) In bids where consortia/joint ventures/sub-contractors are involved; each partner must submit a separate valid Tax Clearance Certificate.

## 20. Evaluation of Bids

Bids will be evaluated in terms of their responsiveness to the Bid specifications and requirements as well as such additional criteria as set out in the Bid document. Bidders must ensure that they adhere to the Responsiveness and Evaluation criteria (Page 26 - 27). The 80/20 preference points system will apply, where the 80 points will be used for price and the 20 points are awarded to the bidder for attaining B-BBEE status level contributor in accordance with their BEE Certificate.

## 21. Acceptance or Rejection of a Bid

The Overberg District Municipality reserves the right to withdraw any invitation to submit a bid and/or to readvertise or to reject any bid or to accept any Bid in whole or a part of it. The Overberg District Municipality does not bind itself to accepting the lowest bid or the bid scoring the highest points.

The Municipality reserves the right to accept more than one bid (in the event of a number of items being offered).

## 22. Registration on Accredited Supplier Database & Central Supplier Database (CSD)

It is expected of all prospective service providers who are not yet registered on the Overberg District Municipality's Accredited Supplier Database to register without delay on the prescribed form. The Overberg District Municipality reserves the right not to award proposals to prospective suppliers who are not registered on the Database.

The municipality is not allowed to do any business with suppliers who are not registered on the CSD.

## 23. Site / Information Meetings

No site meeting to be held.

## 24. Stamp and Other Duties

The successful bidder will be liable for all duties and costs on legal documents resulting in the establishment of a contract and for the surety and retentions.

## 25. Language of Contract

The contract documents will be compiled in English and the English versions of all referred documents will be taken as applicable.

## 26. Procurement Policy

Bids will be awarded in accordance with the Municipality's Preferential Procurement Regulations Policy and the Preferential Procurement Policy Framework Act, No 5 of 2000.

## 27. Expenses Incurred in Preparation of Bid

The Overberg District Municipality must not be liable for any expenses incurred in the preparation and submission of the bid.

## 28. Wrong Information Furnished

Where a contract has been awarded on the strength of the information furnished by the bidder which, after the conclusion of the relevant agreement, is proved to have been incorrect, the Overberg District Municipality may, in addition to any other legal remedy it may have, recover from the contractor all costs, losses or damages incurred or sustained by the Municipality as a result of the award of the contract.

## 29. Validity Period

Bids must remain valid and available for ninety (90) days calculating from the closing date as advertised for the bid, for acceptance, or non-acceptance by the Municipality. The bidder undertakes not to withdraw, or alter, the Bid during this period.

## 30. General and Special Conditions of Contract

The General Conditions of Contract as well as any Special Conditions of Contract that may form part of this set of bid documents will be applicable to this bid in addition to the conditions of bid.

## 31. Municipal Rates, Taxes and Charges

Any bidder which is or whose directors are in arrears with their municipal rates and taxes or municipal charges due to the Overberg District Municipality or any of its entities for more than three months and have not made an arrangement for settlement of same before the bid closure date will be disqualified.

#### 32. Contact with Municipality after Bid Closure Date

Bidders must not contact the Overberg District Municipality on any matter relating to their bid from the time of the opening of the bid to the time the contract is awarded. If a bidder wishes to bring additional information to the notice of the Overberg District Municipality, it should do so in writing to the Overberg District Municipality. Any effort by the firm to influence the Overberg District Municipality in the bid evaluation, bid comparison or contract award decisions may result in the rejection of the bid.

## 33. Extension of Contract

The contract with the successful bidder may be extended should additional funds become available.

## 34. Past Practices

The bid of any bidder may be rejected if that bidder or any of its directors have abused the municipality's supply chain management system or committed any improper conduct in relation to such system. The bid of any bidder may be rejected if it is or has been found that that bidder or any of its directors influenced or tried to influence any official or councillor with this or any past Bid. The bid of any bidder may be rejected if it is or has been found that that bidder or granted any official or any of his/her close family members, partners or associates any reward, gift, favors, hospitality or any other benefit in any improper way, with this or any past Bid.

## 35. B-BBEE Contributor Certificate / Sworn Affidavit

- (a) Notice 29617 of 2007, amendment of the Code of Good Practice, published in Government Gazette No. 29617 on 9 February 2007 in terms of the Broad-Based Black Economic Empowerment Act (Act No.53 of 2003), inter alia determines that:
- any enterprise with an annual Total Revenue of R5 million or less qualifies as an Exempted Micro-Enterprise, provided that sufficient evidence of qualification as an EME is certified in an auditor's certificate or similar certificate issued by an accounting officer or verifying agency.
- any enterprise with an annual Total Revenue of between R5 million and R35 million qualifies as a Qualifying Small Enterprise, provided that such a QSE must select any four of the seven Elements of B-BBEE for the purposes of measurement under the Qualifying Small Enterprise Scorecard contained in Code 800 of the Act.
- a Start-up Enterprise must be measured as an EME under this statement for the first year following its formation
  or incorporation. This provision applies regardless of the expected total revenue of such a start-up enterprise. In
  order to qualify as a start-up enterprise an independent confirmation of its status must be provided and a QSE
  Scorecard must be submitted when Biding for any contract.

BUT – in accordance with Notice 1019 - during a Transitional Period from October 2013 to April 2015, a Measured Entity may elect to use either the provisions contained in the Statement(1) issued on 9 February 2007 OR the Statement(2) issued on 11 October 2013 – thereafter all B-BBEE compliance measurements will be in accordance with Notice 1019 of 2013.

- (b) Notice 1019 of 2013, published in Government Gazette No. 36928 on 11 October 2013, whereby the revised Codes of Good Practice (the codes) was issued under section 9(1) of the Broad-Based Black Economic Empowerment Act (Act No.53 of 2003), inter alia determines that:
- any enterprise with an annual Total Revenue of R10 million or less qualifies as an Exempted Micro-Enterprise and is only required to obtain a sworn affidavit on an annual basis, confirming its Annual Total Revenue and Level of Black ownership.
- a measured Entity with an annual Total Revenue of between R10 million and R50 million qualifies as a Qualifying Small Enterprise and is only required to obtain a sworn affidavit on an annual basis, confirming its Annual Total Revenue and Level of Black ownership.
- a Start-up Enterprise must be measured as an EME under this statement for the first year following its formation
  or incorporation. This provision applies regardless of the expected total revenue of such a start-up enterprise. In
  order to qualify as a start-up enterprise an independent confirmation of its status must be provided and a QSE
  Scorecard must be submitted when Biding for any contract above R10 million.
  - (c) If the certificate was issued by a verification agency the following must be on the face of the certificate: SANAS logo, unique BVA number, must be an original certificate or certified copy of the original, <u>not a</u> <u>photo-copy of another certified copy</u>, the name and physical location of the bidder, the registration number and, where applicable, the VAT number of the bidder, the date of issue and date of expiry of the certificate, the certificate number for identification and reference, the scorecard that was used (for example EME, QSE or Generic), the name and / or logo of the Verification Agency, the certificate must be signed by the authorized person from the Verification Agency and the B-BBEE Status Level of Contribution obtained by the bidder.

#### If certificate was issued by an Auditor/ Accounting Officers:

The Accounting Officer's or Registered Auditor's letter head with full contact details, the Accounting Officer's or Registered Auditor's practice numbers, the name and the physical location of the bidder, the registration number and, where applicable, the VAT number of the bidder, the date of issue and date of expiry, the BBBEE Status Level of Contribution obtained by the measured entity, the total black shareholding and total black female shareholding, the B-BBEE Status Level of Contribution obtained by the often obtained by the bidder and must be an original certificate or certified copy of the original, not a photo-copy of another certified copy.

#### If the certificate was issued by registered auditors approved by IRBA:

Clearly identify the B-BBEE approved registered auditor by the auditor's individual registration number with IRBA and the auditor's logo, clearly record an approved B-BBEE Verification Certificate identification reference in the format required by the SASAE, reflect relevant information regarding the identity and location of the measured entity, identify the Codes of Good Practice or relevant Sector Codes applied in the determination of the scores, record the weighting points (scores) attained by the measured entity for each scorecard element, where applicable, and the measured entity's overall B-BBEE Status Level of Contribution, reflect that the B-BBEE Verification Certificate and accompanying assurance report issued to the measured entity is valid for 12 months from the date of issuance and reflect both the issuance and expiry date, and the B-BBEE Status Level of Contribution obtained by the bidder and must be an original certificate or a certified copy of the original, <u>not a photo-copy of another certified copy</u>.

# FAILURE TO COMPLY WITH THE ABOVEMENTIONED WILL RESULT IN NO PREFERENCE POINTS BEING AWARDED

#### 36. Persons in the service of the state

Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority and/or take an oath declaring his/her interest.

## 37. Standards

The goods supplied or the services rendered must conform to the standards mentioned in the bidding documents and specifications.

#### 38. Information and Inspection

The service provider must not, without the District Municipality's prior written consent, disclose the agreement, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the District Municipality in connection therewith, to any person other than a person employed by the service provider in the performance of the agreement. Disclosure to any such employed person must be made in confidence and must extend only as far as may be necessary for purposes of such performance.

The service provider must permit the Overberg District Municipality to inspect the supplier's records relating to the performance of the service provider and to have them audited by auditors appointed by the Overberg District Municipality, if so, required by the Overberg District Municipality.

#### 39. Governing Language

The governing language must be English. All correspondence and other documents pertaining to the agreement that is exchanged by the parties must also be written in English.

#### 40. Payments

Payments must be made by the Overberg District Municipality within thirty (30) calendar days of receiving the relevant invoice provided by the supplier.

Payment will be made in Rand unless otherwise stipulated.

## 41. Prices and Evaluation of bids

Prices charged by the service provider for goods delivered and services performed under the contract must not vary from the prices quoted by the service provider in this Bid.

The Bidder will be liable to take out forward cover to barricade him/her against fluctuation of the exchange rate in the event of importing any component, related to the Bid, from a country dealing in currency other than that of South Africa.

## THIS BID WILL BE EVALUATED AND ADJUDICATED ACCORDING TO THE FOLLOWING:

- Relevant specifications
- Value for money
- Capability to execute the contract
- PPPFA & associated regulations

## 42. Termination for default

The Overberg District Municipality, without prejudice to any other remedy for breach of contract, by written notice of default sent to the service provider, may terminate this agreement in whole or in part:

If the service provider fails to deliver any or all of the goods within the period(s) specified in the agreement; If the service provider fails to perform any obligation(s) under the contract; or

If the service provider in the judgment of the Overberg District Municipality, has engaged in corrupt or fraudulent practices in competing for or in executing the contract

In the event that the Overberg District Municipality terminates the contract in whole or in part, the Overberg District Municipality may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the service provider must be liable to the Overberg District Municipality for any excess costs for such similar goods, works or services. However, the service provider must continue performance of the contract to the extent not terminated.

Where the Overberg District Municipality terminates the contract in whole or in part, the Overberg District Municipality may decide to impose a restriction penalty on the service provider by prohibiting such service provider from doing business with the public sector for a period not exceeding 10 years.

If the Overberg District Municipality intends imposing a restriction on a service provider or any person associated with the service provider, the service provider will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the service provider fail to respond within the stipulated fourteen (14) days the Overberg District Municipality may regard the service provider as having no objection and proceed with the restriction.

Any restriction imposed on any person by the Overberg District Municipality will, at the discretion of the Overberg District Municipality, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Overberg District Municipality actively associated.

If a restriction is imposed, the Overberg District Municipality must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:

- The name and address of the supplier and / or person restricted by the Overberg District Municipality;
- The date of commencement of the restriction;
- The period of restriction; and
- The reasons for the restriction

These details will be loaded in the National Treasury's central database of service provider or persons prohibited from doing business with the public sector.

If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Bid Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

## 43. Termination for Insolvency

The Overberg District Municipality may at any time terminate the contract by giving written notice to the service provider if the service provider becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the service provider, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Overberg District Municipality.

#### 44. Settlement of Disputes

If any dispute or difference of any kind whatsoever arises between the Overberg District Municipality and the service provider in connection with or arising out of the contract, the parties must make every effort to resolve amicably such dispute or difference by mutual consultation.

If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Overberg District Municipality or the service provider may give notice to the other party of their intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.

Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.

Notwithstanding any reference to mediation and/or court proceedings herein, the parties must continue to perform their respective obligations under the contract unless they otherwise agree; and

The Overberg District Municipality must pay the service provider any monies due for goods delivered and/or services rendered according to the prescripts of the contract.

#### 45. Applicable Law

The contract must be interpreted in accordance with South African laws, unless otherwise specified.

#### 46. Notices

Every written acceptance of a bid and any other notices must be posted to the service provider concerned by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting must be deemed to be proper service of such notice;

The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, must be reckoned from the date of posting of such notice.

## 47. Taxes and duties

A service provider must be entirely responsible for all taxes, duties, license fees, etc., of the contracted goods to the Overberg District Municipality.

No contract must be concluded with any Bidder whose tax matters are not in order.

No contract must be concluded with any Bidder whose municipal rates and taxes and municipal services charges are in arrears.

## 48. Value-added tax (VAT) on invoices

Tax invoices are to comply with the requirements as contained in the Value Added Tax Act, 1991 (Act No 89 of 1991). The content of the invoice must contain information as prescribed by the Act. It is a requirement of this contract that the amount of value-added tax (VAT) must be shown clearly on each invoice. The amended Value Added Tax Act, 1991 (Act No 89 of 1991) requires that a Tax Invoice for supplies in excess of R3,000 should, in addition to the other required information, also disclose the VAT registration number of the recipient, with effect from 1 March 2005. The VAT registration number of the Overberg District Municipality is 4700193495.

## 49. Construction Industry Development Board (CIDB) (If applicable)

When applicable, the bidder's CIDB registration number must be included with the Bid. The Municipality will verify the bidder's CIDB registration during the evaluation process.

## OVERBERG DISTRICT MUNICIPALITY TERMS OF REFERENCE

## SCOPE

## PURPOSE

The purpose of this bid is to appoint a suitable service provider for pipe cracking (80 metres) to be done at Die Dam Resort.

## 2. EVALUATION CRITERIA

2.1 This Bid will be evaluated according to the criteria and weight given in the tables below:

BBBEE Status Level of	Number of points	Number of points
Contributor	(90/10 system)	(80/20 system)
1	10	20
2	9	18
3	6	14
4	5	12
5	4	8
6	3	6
7	2	4
8	1	2
Non-compliant contributor	0	0

The proposal must be valid for a period of 90 (ninety) days after the closing date.

TOR

## 3. PREVIOUS EXPERIENCE

Indication of Competence / Ability to Perform Successfully

## Does your company have previous experience with regards to goods supplied or services rendered with reference to this Bid?

Yes	If yes, please elaborate using the table below & complete the signatory section at the bottom of the page
No	If no, please complete the signatory section at the bottom of the page

## KINDLY NOTE THAT THE REFERENCES PROVIDED BELOW WILL BE CONTACTED TO VERIFY THE WORK DONE

LIST OF RECENT AND PREVIOUS WORK DONE FOR ORGANS OF STATE.					
	1	2	3	4	5
DESCRIPTION OF PROJECT					
CLIENT CONTACT DETAILS – Name of Client					
Name of Responsible Official					
Telephone number					
Valid Email Address					
Value of Contract					
Year Completed					

Signed at .....day of ...... 20......

As Witnesses: 1) .....

2).....

SIGNATURE OF BIDDER



## Bid No: Q18-2019/20: PIPE CRACKING (80 METRES) AT DIE DAM RESORT

## **BID SPECIFICATIONS**

## ANNEXURES C, D & E ARE ATTACHED TO THE BID DOCUMENT (LOCAL CONTENT)

7 (Establishment due to distance) Il other pits requerial (clay) will b illing sand) shal	be re-
(Establishment due to distance) Il other pits requerial (clay) will b illing sand) shal	be re-
(Establishment due to distance) Il other pits requerial (clay) will b illing sand) shal	be re-
due to distance) Il other pits requ erial (clay) will b illing sand) shal 50	be re-
distance) Il other pits requerial (clay) will to illing sand) shal	be re-
erial (clay) will t illing sand) shal 50	be re-
erial (clay) will t illing sand) shal 50	be re-
erial (clay) will t illing sand) shal 50	be re-
illing sand) shal	
50	
	I be used
50	
50	
50	
5	
5	
oves, bags & a	ll paper
10	
Tie in's plus	
cracks	
rfaces (includi ill be re-used i and) shall be u	n any
5	
- 1	
5	
5	
	5 5 oves, bags & a 10 Tie in's plus cracks rfaces (includi ill be re-used i and) shall be u 50 Client will need to water

Site Establish equipment on site to ensure safety of traffic and pedestrians during the duration of the works       Sum       1         Maintain equipment on site for projects       Sum       18         Compensation for distance       Compensation for distance         PIPE CRACKING       Supply, install and test PN 12.5 PE 100 HDPE pipe to replace existing water, including all welds and the provision of a temporary water supply, for the following pipe diameters:         110 mm       m       80         Tie in HDPE Water Main to Existing Mains       1         110 mm HDPE to existing 100 mm FC       Each       1         110 mm HDPE to existing 100 mm FC       Each       2         HOUSE CONNECTIONS       Disconnect existing 15mm, 20mm and 25mm property connections using approved saddles with applicable BSP socket and approved DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:         110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR       Each       5         brass insert and stainless-stele grade 316 bolts & nuts and Nickel anti-seize compound and C20 COBRA ball valve.       Valves         Valves       Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resiltent seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel anti-seize compound). The stainless-steel grade 316 bolts and nuts and Nickel anti-seize compound). The				
pedestrians during the duration of the works       Image: Standard Sta	Site Establishment			
Maintain equipment on site-for projects       Sum       18 Compensation for distance         PIPE CRACKING       Supply, install and test PN 12.5 PE 100 HDPE pipe to replace existing water, including all welds and the provision of a temporary water supply, for the following pipe diameters:         110 mm       m       80         110 mm       m       80         110 mm HDPE to existing 75 mm FC       Each       1         110 mm HDPE to existing 100 mm FC       Each       2         HOUSE CONNECTIONS       Disconnect existing 15mm, 20mm and 25mm property connections using approved saddles with applicable BSP socket and approved DZR bail valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:       110 mm G ALPRENE or MAGNUM-PVC saddles with DZR brass insert and stainless-steel gr 316 bolts & nuts and Nickel anti-seize compound and C20 COBRA ball valve.       5         Valves       Demolish and reconstruct existing valve chambers. Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)       100 mm         100 mm       Each       1       100 mm Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Supply new polymer cover and frame.         100 mm       Each       1       1<		Sum	1	
Compensation for distance           PIPE CRACKING           Supply, install and test PN 12.5 PE 100 HDPE pipe to replace existing water, including all welds and the provision of a temporary water supply, for the following pipe diameters:           110 mm         m         80           Tie in HDPE Water Main to Existing Mains         m         80           110 mm HDPE to existing 75 mm FC         Each         1           110 mm HDPE to existing 100 mm FC         Each         2           HOUSE CONNECTIONS         Disconnect existing 15mm, 20mm and 25mm property connections using approved saddles with applicable BSP socket and approved DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:         5           110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR brass insert and stainless-steel gr 316 bolts & nuts and Nickel anti-seize compound and C20 COBRA ball valve.         Each         5           Valves         Demolish and reconstruct existing valve chambers. Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)         Each         1           100 mm         Each         1           Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The stainless-Steel grade 316				
Image: display state         Image: display state           PIPE CRACKING         Supply, install and test PN 12.5 PE 100 HDPE pipe to replace existing water, including all welds and the provision of a temporary water supply, for the following pipe diameters:           110 mm         m         80           110 mm         m         80           110 mm HDPE to existing 75 mm FC         Each         1           110 mm HDPE to existing 150m, 20mm and 25mm property connections using approved saddles with applicable BSP socket and approved DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:         110 mm O           110 mm O ALPRENE or MAGNUM-PVC saddles with DZR         Each         5           brass insert and stainless-steel gr 316 bolts & nuts and         Nickel anti-seize compound and C20 COBRA ball valve.         Valves           Demolish and reconstruct existing valve chambers. Supply of flanged valves Only         AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)         100 mm         Each         1           Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Supply only endower and frame.         1           100 m	Maintain equipment on site-for projects	Sum		
PIPE CRACKING         Supply, install and test PN 12.5 PE 100 HDPE pipe to replace existing water, including all welds and the provision of a temporary water supply, for the following pipe diameters:         110 mm       m       80         Tie in HDPE Water Main to Existing Mains       m       80         110 mm HDPE to existing 75 mm FC       Each       1         110 mm HDPE to existing 100 mm FC       Each       2         HOUSE CONNECTIONS       Disconnect existing 15mm, 20mm and 25mm property connections using approved saddles with applicable BSP socket and approved DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:       110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:         110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR ball valve.       Valves         Demolish and reconstruct existing valve chambers. Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)         100 mm       Each       1         100 mm       Each				
Supply, install and test PN 12.5 PE 100 HDPE pipe to replace existing water, including all welds and the provision of a temporary water supply, for the following pipe diameters:         110 mm       m       80         Tile in HDPE water Main to Existing Mains       m       80         110 mm HDPE to existing 75 mm FC       Each       1         110 mm HDPE to existing 15mm, 20mm and 25mm property connections using approved saddles with applicable BSP socket and approved DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:       110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR       Each       5         Inokel anti-seize compound and C20 COBRA ball valve.       Valves       Valves       Valves         Demolish and reconstruct existing valve chambers. Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)       100 mm       Each       1         100 mm       Each       1       Supply new polymer cover and frame.       100         100 mm       Each       1       Each       1       100 mm         00 mm       Each       1       1       100 mm			for distance	
all weids and the provision of a temporary water supply, for the following pipe diameters:       In mm         110 mm       m       80         110 mm       HDPE Water Main to Existing Mains       1         110 mm       HDPE Water Main to Existing Mains       1         110 mm       HDPE to existing 75 mm FC       Each       1         HOUSE CONNECTIONS       Each       2       1         Disconnect existing 15mm, 20mm and 25mm property connections using approved saddles with applicable BSP socket and approved DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:       1         110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR brass insert and stainless-steel gra16 bolts & nuts and Nickel anti-seize compound and C20 COBRA ball valve.       5         Valves       Demolish and reconstruct existing valve chambers. Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)       100 mm       Each       1         Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel anti-seize compound). The stainless-Steel grade 316 bolts and nuts and Nickel anti-seize compound). The valve must be fitted with a cap top and attached to spindle with a stainless-stee			ating water in	
diameters:       m       80         110 mm       m       80         110 mm HDPE to existing 75 mm FC       Each       1         110 mm HDPE to existing 100 mm FC       Each       2         HOUSE CONNECTIONS       Disconnect existing 15mm, 20mm and 25mm property connections using approved saddles with applicable BSP socket and approved DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:       110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR ball valve.         Valves       brass insert and stainless-steel gr 316 bolts & nuts and Nickel anti-seize compound and C20 COBRA ball valve.       5         Valves       Demolish and reconstruct existing valve chambers. Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)       10         100 mm       Each       1       Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 fittings find and welded stub on the HDPE pipe. Supply new polymer cover and frame.       10         100 mm       Each       1       Stappersed)         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316				
110 mm       m       80         Tie in HDPE Water Main to Existing Mains       110 mm HDPE to existing 75 mm FC       Each       1         110 mm HDPE to existing 75 mm FC       Each       2       100 mm HDPE to existing 100 mm FC       Each       2         HOUSE CONNECTIONS       Disconnect existing 15mm, 20mm and 25mm property connections using approved saddles with applicable BSP socket and approved DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:       110 mm Ø ALPRENE or MAGNUM PVC saddles with DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:       5         110 mm Ø ALPRENE or MAGNUM PVC saddles with DZR ball valve.       5       5         brass insert and stainless-steel gr 316 bolts & nuts and Nickel anti-seize compound and C20 COBRA ball valve.       5         Valves       Demolish and reconstruct existing valve chambers. Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel anti-seize compound). The stainless-Steel grade 316 bolts and nuts and Nickel anti-seize compound). The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply only of flanged valves Only AVK-LHC type or similar approved, drilled table D BS1		ior the	ionowing pipe	7
Tie in HDPE Water Main to Existing Mains       110 mm HDPE to existing 75 mm FC       Each       1         110 mm HDPE to existing 100 mm FC       Each       2         HOUSE CONNECTIONS       Disconnect existing 15mm, 20mm and 25mm property connections using approved saddles with applicable BSP socket and approved DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:         110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR       Each       5         brass insert and stainless-steel gr 316 bolts & nuts and       5       5         Vickel anti-seize compound and C20 COBRA ball valve.       Valves       5         Demolish and reconstruct existing valve chambers. Supply of flanged valves Only       AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)       100 mm       Each       1         Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel anti-seize compound). The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         100 mm       Each       1       1         Supply of flanged valves Only AVK-LHC type or		m	80	
110 mm HDPE to existing 75 mm FC       Each       1         110 mm HDPE to existing 100 mm FC       Each       2         HOUSE CONNECTIONS       Disconnect existing 15mm, 20mm and 25mm property connections using approved saddles with applicable BSP socket and approved DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:         110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR       Each       5         brass insert and stainless-steel gr 316 bolts & nuts and       Nickel anti-seize compound and C20 COBRA ball valve.       5         Valves       Demolish and reconstruct existing valve chambers. Supply of flanged valves Only       AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)         100 mm       Each       1         Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel anti-seize compound). The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         100 mm       Each       1         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)			00	
110 mm HDPE to existing 100 mm FC       Each       2         HOUSE CONNECTIONS       Disconnect existing 15mm, 20mm and 25mm property connections using approved saddles with applicable BSP socket and approved DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:       110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR       Each       5         110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR       Each       5       5         Valves       Demolish and reconstruct existing valve chambers. Supply of flanged valves Only         AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)       100 mm       Each       1         100 mm       Each       1       0       0       0         100 mm       Each       1       0       0       0         100 mm       Each       1       0       0       0       0       0         100 mm       Each       1       0		Fach	1	
HOUSE CONNECTIONS         Disconnect existing 15mm, 20mm and 25mm property connections using approved saddles with applicable BSP socket and approved DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:         110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR ball valve (C15, C20, C25 brass insert and stainless-steel gr 316 bolts & nuts and Nickel anti-seize compound and C20 COBRA ball valve.         Valves         Demolish and reconstruct existing valve chambers. Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)         100 mm         Each 1         Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel anti-seize compound). The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt and			_	
Disconnect existing 15mm, 20mm and 25mm property connections using approved saddles with applicable BSP socket and approved DZR ball valve (C15, C20, C25 approved) to the HDPE water main of the following diameters:         110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR brass insert and stainless-steel gr 316 bolts & nuts and Nickel anti-seize compound and C20 COBRA ball valve.       Each 5         Valves       Each 1       5         Demolish and reconstruct existing valve chambers. Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)         100 mm       Each 1         100 mm       Each 1         Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Supply new polymer cover and frame.         100 mm       Each 1         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply only- hydrant AVK-LHC type or similar approved teach anti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel anti-seize compound).		Laon	_	
saddles with applicable BSP socket and approved DZR ball valve (C15, C20, C25         approved) to the HDPE water main of the following diameters:         110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR       Each       5         brass insert and stainless-steel gr 316 bolts & nuts and Nickel anti-seize compound and C20 COBRA ball valve.       Each       5         Valves       Demolish and reconstruct existing valve chambers. Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)       100 mm       Each       1         Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Supply new polymer cover and frame.       1         100 mm       Each       1       5         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)       1         Supply only-hydrant AVK-LHC type or similar approved with London round outlet       Each       1         Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe.		onnectio	ons using app	roved
approved) to the HDPE water main of the following diameters:         110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR brass insert and stainless-steel gr 316 bolts & nuts and Nickel anti-seize compound and C20 COBRA ball valve.       Each 5         Valves       Demolish and reconstruct existing valve chambers. Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)         100 mm       Each 1         Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound).         The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Supply new polymer cover and frame.         100 mm       Each 1         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10.         The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10.         The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply only- hydrant AVK-LHC type or similar approved with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply only- hydrant and install only with a new hydrant as specified an				
110 mm Ø ALPRENE or MAGNUM- PVC saddles with DZR brass insert and stainless-steel gr 316 bolts & nuts and Nickel anti-seize compound and C20 COBRA ball valve.       5         Valves       Demolish and reconstruct existing valve chambers. Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)         100 mm       Each       1         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply only- hydrant AVK-LHC type or similar approved with a stainless-steel grade 316 bolt (and nut depending of the patent)       1         Supply only- hydrant AVK-LHC type or similar approved with a stainless-steel grade 316 bolt (and nut dependi			- (,, -	
Nickel anti-seize compound and C20 COBRA ball valve.       Valves         Demolish and reconstruct existing valve chambers. Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10.The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)         100 mm       Each       1         Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel atti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel atti-seize compound). The stainless-Steel grade 316 bolts and nuts and Nickel atti-seize compound). The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply only- hydrant AVK-LHC type or similar approved       Each       1         With London round outlet       Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) sh		1	5	
Nickel anti-seize compound and C20 COBRA ball valve.       Valves         Demolish and reconstruct existing valve chambers. Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10.The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)         100 mm       Each       1         Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel atti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel atti-seize compound). The stainless-Steel grade 316 bolts and nuts and Nickel atti-seize compound). The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply only- hydrant AVK-LHC type or similar approved       Each       1         With London round outlet       Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) sh	brass insert and stainless-steel gr 316 bolts & nuts and			
Demoilsh and reconstruct existing valve chambers. Supply of flanged valves Only         AVK-LHC type or similar approved, drilled table D BS10.The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)         100 mm       Each       1         Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Supply new polymer cover and frame.         100 mm       Each       1         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10.       The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply only-hydrant AVK-LHC type or similar approved       Each       1         Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 flange backing ring and welded stub on the HDPE				
AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)         100 mm       Each       1         Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Supply new polymer cover and frame.         100 mm       Each       1         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)       Each       1         Supply only- hydrant AVK-LHC type or similar approved with a stainless-steel grade 316 bolt (and nut depending of the patent)       Each       1         Supply only- hydrant AVK-LHC type or similar approved with a stainless-steel grade 316 bolts (and nut approved with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new p	Valves		•	•
cap top and attached to spindle with a stainless steel grade 316 bolt (and nut depending of the patent)       Each       1         100 mm       Each       1         Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Supply new polymer cover and frame.         100 mm       Each       1         Supply new polymer cover and frame.       100 mm         100 mm       Each       1         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10.       The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply only- hydrant AVK-LHC type or similar approved       Each       1         Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.         110mm       Each       1         Provide and install double flanged stainless-steel grade 316 reduc	Demolish and reconstruct existing valve chambers. Sup	oly of fl	anged valves	Only
depending of the patent)       Each       1         100 mm       Each       1         Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Supply new polymer cover and frame.         100 mm       Each       1         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)       Each       1         Supply only- hydrant AVK-LHC type or similar approved with a stainless-steel grade 316 bolt (and nut depending of the patent)       Each       1         Supply only- hydrant AVK-LHC type or similar approved with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.         110mm       Each       1         Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainles	AVK-LHC type or similar approved, drilled table D BS10.	The val	ve must be fitt	ed with a
100 mmEach1Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Supply new polymer cover and frame.100 mmEach1Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)Each1Supply only- hydrant AVK-LHC type or similar approved with London round outletEach1Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.1110mmEach1Provide and install double flanged stainless-steel grade 316 bolts and nuts and bends (where used) shall be fully welded using approved fusion couplings.300 phy new polymer cover and frame.1110mmEach1HDPE- lead on SS 16 weeks1	cap top and attached to spindle with a stainless steel gra	nde 316	bolt (and nut	
Demolish and reconstruct existing/new valve chambers. Remove existing valves and install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe.         Supply new polymer cover and frame.       1         100 mm       Each       1         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)       1         Supply only- hydrant AVK-LHC type or similar approved       Each       1         with London round outlet       1       1         Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.         110mm       Each       1         Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts	depending of the patent)			
install only with a new flanged resilient seal gate valve and including all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Supply new polymer cover and frame.         100 mm       Each       1         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)       Each       1         Supply only- hydrant AVK-LHC type or similar approved with London round outlet       Each       1         Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.         110mm       Each       1         Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts         75mm x100mm       Each       1 HDPE - lead on SS 16 weeks				
(including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound).         The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe.         Supply new polymer cover and frame.         100 mm       Each       1         Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10.         The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)         Supply only- hydrant AVK-LHC type or similar approved       Each       1         Supply only- hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.         110mm       Each       1         Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts         75mm x100mm       Each       1				ves and
The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe.100 mmEach1Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)Each1Supply only- hydrant AVK-LHC type or similar approved with London round outletEach11Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.1110mmEach1Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts75mm x100mmEach1Rend1HDPE - lead on SS 16 weeks1	install only with a new flanged resilient seal gate valve a	nd inalı		
Supply new polymer cover and frame.100 mmEach1Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)Each1Supply only- hydrant AVK-LHC type or similar approved with London round outletEach1Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.1110mmEach1Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts75mm x100mmEach1Reach1HDPE - lead on SS 16 weeks1				<b>js</b>
100 mmEach1Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)Supply only- hydrant AVK-LHC type or similar approved with London round outletEach1Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.Each1110mmEach1Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts175mm x100mmEach1	(including Stainless Steel grade 316 bolts and nuts and I	Nickel a	nti-seize com	gs pound).
Supply of flanged valves Only AVK-LHC type or similar approved, drilled table D BS10. The valve must be fitted with a cap top and attached to spindle with a stainless-steel grade 316 bolt (and nut depending of the patent)Supply only- hydrant AVK-LHC type or similar approved with London round outletEach1Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.Each1110mmEach1Provide and install double flanged stainless-steel grade 316 bolts and nuts and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts75mm x100mmEach1 HDPE - lead on SS 16 weeks	(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and w	Nickel a	nti-seize com	gs pound).
The valve must be fitted with a cap top and attached to spindle with a stainless-steelgrade 316 bolt (and nut depending of the patent)Supply only- hydrant AVK-LHC type or similar approvedEach1Supply only- hydrant AVK-LHC type or similar approvedEach1with London round outletEach1Remove existing hydrant and install only with a new hydrant as specified and allfittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seizecompound). The Stainless-Steel grade 316 flange backing ring and welded stub on theHDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrantsdrilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extensionpieces and bends (where used) shall be fully welded using approved fusion couplings.Supply new polymer cover and frame.110mmEachProvide and install double flanged stainless-steel grade 316 reducers (Schedule 10)drilled table D BS 10 complete for the following diameters: including two Variplus VJblack FBE coated coupler with stainless steel grade 316 bolts and nuts75mm x100mmEachat 1HDPE - lead on SS 16 weeks	(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame.	Nickel a elded s	nti-seize com tub on the HD	gs pound).
grade 316 bolt (and nut depending of the patent)Supply only- hydrant AVK-LHC type or similar approved with London round outletEach1Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.1110mmEach1Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts175mm x100mmEach1Rend1HDPE - lead on SS 16 weeks1	(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame. 100 mm	Nickel a elded s Each	nti-seize com tub on the HD	gs pound). PE pipe.
Supply only- hydrant AVK-LHC type or similar approved with London round outletEach1Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.1110mmEach1Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts175mm x100mmEach175mm x100mmEach1Kend1HDPE - lead on SS 16 weeksSS 16 weeks	(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame. 100 mm Supply of flanged valves Only AVK-LHC type or similar a	Nickel a elded s Each pprove	nti-seize com tub on the HD 1 d, drilled table	gs pound). PE pipe. ⊇ D BS10.
with London round outletImage: Construction of the second sec	(including Stainless Steel grade 316 bolts and nuts and N The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame. 100 mm Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s	Nickel a elded s Each pprove	nti-seize com tub on the HD 1 d, drilled table	gs pound). PE pipe. ⊇ D BS10.
Remove existing hydrant and install only with a new hydrant as specified and all fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.110mmEach1Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts75mm x100mmEach1HDPE - lead on SS 16 weeks1	(including Stainless Steel grade 316 bolts and nuts and N The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame. 100 mm Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent)	Vickel a elded s Each pprove pindle	nti-seize com tub on the HD 1 d, drilled table with a stainles	gs pound). PE pipe. ⊇ D BS10.
fittings (including Stainless Steel grade 316 bolts and nuts and Nickel anti-seize compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.110mmEach1Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts75mm x100mmEach1HDPE - lead on SS 16 weeks1	(including Stainless Steel grade 316 bolts and nuts and N The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame. 100 mm Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent) Supply only- hydrant AVK-LHC type or similar approved	Vickel a elded s Each pprove pindle	nti-seize com tub on the HD 1 d, drilled table with a stainles	gs pound). PE pipe. ⊇ D BS10.
compound). The Stainless-Steel grade 316 flange backing ring and welded stub on the HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.110mmEach1Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts75mm x100mmEach1 HDPE - lead on SS 16 weeks	(including Stainless Steel grade 316 bolts and nuts and N The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame. 100 mm Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent) Supply only- hydrant AVK-LHC type or similar approved with London round outlet	Lickel a elded s Each pprove pindle Each	nti-seize com tub on the HD 1 d, drilled table with a stainles	gs pound). PE pipe. e D BS10. ss-steel
HDPE pipe. Bolts the flanged valve to the Stainless-Steel grade 316 flanged hydrants drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.110mmEach1Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts75mm x100mmEach1 HDPE - lead on SS 16 weeks	(including Stainless Steel grade 316 bolts and nuts and N The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame. 100 mm Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent) Supply only- hydrant AVK-LHC type or similar approved with London round outlet Remove existing hydrant and install only with a new hyd	Vickel a elded s Each pprove pindle Each rant as	nti-seize com tub on the HD d, drilled table with a stainles 1 specified and	gs pound). PE pipe. e D BS10. ss-steel all
drilled backing ring and welded stub on the HDPE pipe. The hydrant tee, extension pieces and bends (where used) shall be fully welded using approved fusion couplings. Supply new polymer cover and frame.110mmEach1Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts75mm x100mmEach1HDPE - lead on SS 16 weeksSS 16 weeks	(including Stainless Steel grade 316 bolts and nuts and N The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame. 100 mm Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent) Supply only- hydrant AVK-LHC type or similar approved with London round outlet Remove existing hydrant and install only with a new hyd fittings (including Stainless Steel grade 316 bolts and nut	Vickel a elded s Each pprove pindle Each Fant as ts and	nti-seize com tub on the HD d, drilled table with a stainles 1 specified and Nickel anti-sei	gs pound). PE pipe. e D BS10. es-steel all ze
pieces and bends (where used) shall be fully welded using approved fusion couplings.Supply new polymer cover and frame.Each1110mmEach1Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts75mm x100mmEach1 HDPE - lead on SS 16 weeks	<ul> <li>(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame.</li> <li>100 mm</li> <li>Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent)</li> <li>Supply only- hydrant AVK-LHC type or similar approved with London round outlet</li> <li>Remove existing hydrant and install only with a new hyd fittings (including Stainless Steel grade 316 flange backing</li> </ul>	Vickel a elded s Each pprove pindle Each Fant as ts and g ring a	nti-seize com tub on the HD d, drilled table with a stainles 1 specified and Nickel anti-sei and welded stu	gs pound). PE pipe. e D BS10. es-steel all ze ub on the
Supply new polymer cover and frame.       Each       1         110mm       Each       1         Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10) drilled table D BS 10 complete for the following diameters: including two Variplus VJ black FBE coated coupler with stainless steel grade 316 bolts and nuts         75mm x100mm       Each       1         HDPE - lead on SS 16 weeks       SS 16 weeks	<ul> <li>(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame.</li> <li>100 mm</li> <li>Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent)</li> <li>Supply only- hydrant AVK-LHC type or similar approved with London round outlet</li> <li>Remove existing hydrant and install only with a new hyd fittings (including Stainless Steel grade 316 bolts and nu compound). The Stainless-Steel grade 316 flange backin HDPE pipe. Bolts the flanged valve to the Stainless-Steel</li> </ul>	Vickel a elded s Each pprove pindle Each Each rant as ts and g ring a grade	nti-seize com tub on the HD d, drilled table with a stainles 1 specified and Nickel anti-sei and welded stu 316 flanged hy	gs pound). PE pipe. e D BS10. ss-steel all ze ub on the ydrants
110mm       Each       1         Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10)         drilled table D BS 10 complete for the following diameters: including two Variplus VJ         black FBE coated coupler with stainless steel grade 316 bolts and nuts         75mm x100mm       Each       1         HDPE - lead on       SS 16 weeks	<ul> <li>(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame.</li> <li>100 mm</li> <li>Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent)</li> <li>Supply only- hydrant AVK-LHC type or similar approved with London round outlet</li> <li>Remove existing hydrant and install only with a new hyd fittings (including Stainless Steel grade 316 bolts and nut compound). The Stainless-Steel grade 316 flange backin HDPE pipe. Bolts the flanged valve to the Stainless-Steel drilled backing ring and welded stub on the HDPE pipe.</li> </ul>	Vickel a elded s Each pprove pindle Each Each rant as ts and g ring a g ring a grade The hyd	nti-seize com tub on the HD d, drilled table with a stainles 1 specified and Nickel anti-sei and welded stu 316 flanged hy drant tee, exte	gs pound). PE pipe. D BS10. ss-steel all ze ub on the ydrants nsion
Provide and install double flanged stainless-steel grade 316 reducers (Schedule 10)         drilled table D BS 10 complete for the following diameters: including two Variplus VJ         black FBE coated coupler with stainless steel grade 316 bolts and nuts         75mm x100mm       Each       1         HDPE - lead on       SS 16 weeks	<ul> <li>(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame.</li> <li>100 mm</li> <li>Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent)</li> <li>Supply only- hydrant AVK-LHC type or similar approved with London round outlet</li> <li>Remove existing hydrant and install only with a new hyd fittings (including Stainless Steel grade 316 bolts and nut compound). The Stainless-Steel grade 316 flange backin HDPE pipe. Bolts the flanged valve to the Stainless-Steel drilled backing ring and welded stub on the HDPE pipe. pieces and bends (where used) shall be fully welded usin</li> </ul>	Vickel a elded s Each pprove pindle Each Each rant as ts and g ring a g ring a grade The hyd	nti-seize com tub on the HD d, drilled table with a stainles 1 specified and Nickel anti-sei and welded stu 316 flanged hy drant tee, exte	gs pound). PE pipe. D BS10. ss-steel all ze ub on the ydrants nsion
drilled table D BS 10 complete for the following diameters: including two Variplus VJ         black FBE coated coupler with stainless steel grade 316 bolts and nuts         75mm x100mm       Each       1         HDPE - lead on       SS 16 weeks	<ul> <li>(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame.</li> <li>100 mm</li> <li>Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent)</li> <li>Supply only- hydrant AVK-LHC type or similar approved with London round outlet</li> <li>Remove existing hydrant and install only with a new hyd fittings (including Stainless Steel grade 316 bolts and nut compound). The Stainless-Steel grade 316 flange backin HDPE pipe. Bolts the flanged valve to the Stainless-Steel drilled backing ring and welded stub on the HDPE pipe.</li> <li>pieces and bends (where used) shall be fully welded usin Supply new polymer cover and frame.</li> </ul>	Vickel a elded s Each pprove pindle Each Each rant as ts and g ring a g ring a g rade The hyd	nti-seize com tub on the HD d, drilled table with a stainles 1 specified and Nickel anti-sei and welded stu 316 flanged hy drant tee, exte oved fusion c	gs pound). PE pipe. D BS10. ss-steel all ze ub on the ydrants nsion
black FBE coated coupler with stainless steel grade 316 bolts and nuts         75mm x100mm       Each       1         HDPE - lead on       SS 16 weeks	<ul> <li>(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame.</li> <li>100 mm</li> <li>Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent)</li> <li>Supply only- hydrant AVK-LHC type or similar approved with London round outlet</li> <li>Remove existing hydrant and install only with a new hyd fittings (including Stainless Steel grade 316 bolts and nut compound). The Stainless-Steel grade 316 flange backin HDPE pipe. Bolts the flanged valve to the Stainless-Steel drilled backing ring and welded stub on the HDPE pipe. pieces and bends (where used) shall be fully welded usin Supply new polymer cover and frame.</li> <li>110mm</li> </ul>	Each Each Each Each Each Each Brant as gring a grade The hyd ng appr Each	nti-seize com tub on the HD d, drilled table with a stainles 1 specified and Nickel anti-sei and welded stu 316 flanged hy drant tee, exte oved fusion co	gs pound). PE pipe. e D BS10. ss-steel all ze ub on the ydrants insion ouplings.
75mm x100mm Each 1 HDPE - lead on SS 16 weeks	<ul> <li>(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame.</li> <li>100 mm</li> <li>Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent)</li> <li>Supply only- hydrant AVK-LHC type or similar approved with London round outlet</li> <li>Remove existing hydrant and install only with a new hyd fittings (including Stainless Steel grade 316 bolts and nut compound). The Stainless-Steel grade 316 flange backin HDPE pipe. Bolts the flanged valve to the Stainless-Steel drilled backing ring and welded stub on the HDPE pipe. pieces and bends (where used) shall be fully welded usin Supply new polymer cover and frame.</li> <li>110mm</li> <li>Provide and install double flanged stainless-steel grade 3</li> </ul>	Vickel a elded s Each pprove pindle Each Each g ring a g ring a g ring a g rade The hyon g appr Each 316 red	nti-seize com tub on the HD d, drilled table with a stainles 1 specified and Nickel anti-sei and welded stu 316 flanged hy drant tee, exte oved fusion c 1 ucers (Schedu	gs pound). PE pipe. D BS10. s-steel all ze ub on the ydrants nsion ouplings.
HDPE - lead on SS 16 weeks	<ul> <li>(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame.</li> <li>100 mm</li> <li>Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent)</li> <li>Supply only- hydrant AVK-LHC type or similar approved with London round outlet</li> <li>Remove existing hydrant and install only with a new hyd fittings (including Stainless Steel grade 316 bolts and nut compound). The Stainless-Steel grade 316 flange backin HDPE pipe. Bolts the flanged valve to the Stainless-Steel drilled backing ring and welded stub on the HDPE pipe. pieces and bends (where used) shall be fully welded usin Supply new polymer cover and frame.</li> <li>110mm</li> <li>Provide and install double flanged stainless-steel grade and drilled table D BS 10 complete for the following diameter</li> </ul>	Vickel a elded s Each pprove pindle Each Cach rant as ts and g ring a g ring a g rade The hyo ng appr Each 316 red s: inclu	nti-seize com tub on the HD d, drilled table with a stainles 1 specified and Nickel anti-sei and welded stu 316 flanged hy drant tee, exte oved fusion co 1 ucers (Schedu ding two Varij	gs pound). PE pipe. D BS10. s-steel all ze ub on the ydrants nsion ouplings.
SS 16 weeks	<ul> <li>(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame.</li> <li>100 mm</li> <li>Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent)</li> <li>Supply only- hydrant AVK-LHC type or similar approved with London round outlet</li> <li>Remove existing hydrant and install only with a new hyd fittings (including Stainless Steel grade 316 bolts and nut compound). The Stainless-Steel grade 316 flange backin HDPE pipe. Bolts the flanged valve to the Stainless-Steel drilled backing ring and welded stub on the HDPE pipe. pieces and bends (where used) shall be fully welded usin Supply new polymer cover and frame.</li> <li>110mm</li> <li>Provide and install double flanged stainless-steel grade 316 drilled table D BS 10 complete for the following diameter black FBE coated coupler with stainless steel grade 316</li> </ul>	Vickel a elded s Each pprove pindle Each rant as ts and g ring a g ring a g rade The hyd ng appr Each 316 red s: inclu bolts a	nti-seize com tub on the HD d, drilled table with a stainles 1 specified and Nickel anti-sei and welded stu 316 flanged hy drant tee, exte oved fusion c 1 ucers (Schedu ding two Vari nd nuts	gs pound). PE pipe. D BS10. s-steel all ze ub on the ydrants nsion ouplings.
	<ul> <li>(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame.</li> <li>100 mm</li> <li>Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent)</li> <li>Supply only- hydrant AVK-LHC type or similar approved with London round outlet</li> <li>Remove existing hydrant and install only with a new hyd fittings (including Stainless Steel grade 316 bolts and nut compound). The Stainless-Steel grade 316 flange backin HDPE pipe. Bolts the flanged valve to the Stainless-Steel drilled backing ring and welded stub on the HDPE pipe. pieces and bends (where used) shall be fully welded usin Supply new polymer cover and frame.</li> <li>110mm</li> <li>Provide and install double flanged stainless-steel grade 316 drilled table D BS 10 complete for the following diameter black FBE coated coupler with stainless steel grade 316</li> </ul>	Vickel a elded s Each pprove pindle Each rant as ts and g ring a g ring a g rade The hyd ng appr Each 316 red s: inclu bolts a	nti-seize com tub on the HD d, drilled table with a stainles 1 specified and Nickel anti-sei and welded stu 316 flanged hy drant tee, exte oved fusion co 1 ucers (Schedu ding two Varij nd nuts 1	gs pound). PE pipe. D BS10. s-steel all ze ub on the ydrants nsion ouplings.
	<ul> <li>(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame.</li> <li>100 mm</li> <li>Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent)</li> <li>Supply only- hydrant AVK-LHC type or similar approved with London round outlet</li> <li>Remove existing hydrant and install only with a new hyd fittings (including Stainless Steel grade 316 bolts and nut compound). The Stainless-Steel grade 316 flange backin HDPE pipe. Bolts the flanged valve to the Stainless-Steel drilled backing ring and welded stub on the HDPE pipe. pieces and bends (where used) shall be fully welded usin Supply new polymer cover and frame.</li> <li>110mm</li> <li>Provide and install double flanged stainless-steel grade 316</li> </ul>	Vickel a elded s Each pprove pindle Each rant as ts and g ring a g ring a g rade The hyd ng appr Each 316 red s: inclu bolts a	nti-seize com tub on the HD d, drilled table with a stainles 1 specified and Nickel anti-sei and welded stu 316 flanged hy drant tee, exte oved fusion co 1 ucers (Schedu ding two Varij nd nuts 1 HDPE - lead on	gs pound). PE pipe. D BS10. s-steel all ze ub on the ydrants nsion ouplings.
	<ul> <li>(including Stainless Steel grade 316 bolts and nuts and I The Stainless-Steel grade 316 flange backing ring and we Supply new polymer cover and frame.</li> <li>100 mm</li> <li>Supply of flanged valves Only AVK-LHC type or similar a The valve must be fitted with a cap top and attached to s grade 316 bolt (and nut depending of the patent)</li> <li>Supply only- hydrant AVK-LHC type or similar approved with London round outlet</li> <li>Remove existing hydrant and install only with a new hyd fittings (including Stainless Steel grade 316 bolts and nut compound). The Stainless-Steel grade 316 flange backin HDPE pipe. Bolts the flanged valve to the Stainless-Steel drilled backing ring and welded stub on the HDPE pipe. pieces and bends (where used) shall be fully welded usin Supply new polymer cover and frame.</li> <li>110mm</li> <li>Provide and install double flanged stainless-steel grade 316 75mm x100mm</li> </ul>	Vickel a elded s Each pprove pindle Each Cach rant as ts and g ring a g ring a g ring a g rade The hyo ng appr Each 316 red s: inclu bolts au Each	nti-seize com tub on the HD d, drilled table with a stainles 1 specified and Nickel anti-sei and welded stu 316 flanged hy drant tee, exte oved fusion co 1 ucers (Schedu ding two Vari nd nuts 1 HDPE - lead on SS 16 weeks	gs pound). PE pipe. D BS10. s-steel all ze ub on the ydrants nsion ouplings.

own projects) Site establishment and de-establishment –		Distance	
include all equipment and power All butt welding to be			
undertaken by a certified welder. PROOF OF			
COMPLIANCE TO BE SUBMITTED AT TENDER STAGE			
Site establishment and de-establishment per butt-weldin	g assigi	nment Butt wel	ding per
weld (all PN classes included)	0		01
110mmØ butt weld	Each	2	
By-pass for water supply to affected properties			
Supply, install, maintain and dismantle a 50/63mmØ HDPE	metre	80	
PN12.5 PE100 bypass to service section of affected			
properties along the water pipe upgrading (measured along			
the length of the property) The rate is inclusive of all non-			
leak fittings) to maximum length of 500metre			
Compliance to Construction Regulations 2014	•	·	
Safety plan assessment and final approval by independent	Each	1	
H& S agent			
Safety audits on a weekly basis by independent H& S agent	Each	4	
Close out at project end by independent H& S agent	Each	1	
Compile safety file per each project as per Contractors	Each	1	
obligation according Construction Regulation 2014			

## PLEASE NOTE THE FOLLOWING:

This bid is subject to Regulation 8 "Local Production and Content" of the Preferential Procurement Policy Framework Act, 2000: Preferential Procurement Regulations, 2017 (No. R.32 dated 20 January 2017). In terms of this regulation, the Department of Trade and Industry has identified specific industries/sectors, where only locally manufactured products that meet the stipulated minimum threshold for local content will be considered. The award of bids for local production and content is of critical importance. To this effect a minimum threshold percentage for local production and content for the following sectors has been determined as:

## • HDPE and PVC Pipes.

Plastic Pipes (100% local content)

• Flanges.

Steel Conveyance Pipes, Pipe Fittings and Specials (100% local content)

Bolts and Nuts.

Steel Products and Components for Construction (100% local content)

- Valves.
- Hydrant.

## Valve Products and Actuators (70% local content)

Tenderers must therefore take cognizance of that fact that bids will be evaluated in terms of **the minimum threshold percentages** for local content and production and only bids which adhere to this requirement will be further evaluated.

## **DETAILS OF BIDDER**

Name of firm / entity / enterprise		
Trading as (if different from above)		
Postal address		
Physical address		
	Name:	
Contact Details of the Person Signing the	Telephone:	Fax:
Bid:	Cellular Telephone:	
	e-mail address:	
Contact Details of the	Name:	
Senior Manager Responsible for	Telephone:	Fax:
Overseeing Contract Performance:	Cellular Telephone:	
	e-mail address:	
Contact Details of the Bidder	Name:	
proposed Project Manager who will represent the	Telephone:	Fax:
Bidder in the implementation	Cellular Telephone:	
processes:	e-mail address:	
Company Income Tax no.	Tax C PIN	learance Certificate
VAT registration no.	CSD F	Registration Number
Company registration no.		of Director's ntment
Any other Registration applicable to this Industry		
	Name of Account holder:	
Panking Dataila of Piddor	Name of Bank:	
Banking Details of Bidder	Account Number:	
	Branch Code:	

# RESOLUTION TAKEN BY THE BOARD OF DIRECTORS / MEMBERS / PARTNERS RESOLUTION of a meeting of the Board of Directors / Members / Partners of

				(Name of bidder)
	Held at		_ (place)	
	On		(date)	
RESOLVED	THAT:			
1.	The enterprise submit a bid	to Overberg District Municipality in respec	t of the following proj	ect:
	BID NO: Q18-2019/20	PIPE CRACKING (80 METRES) AT D	DIE DAM RESORT	
5	Mr/Mrs./Ms			
In his/he	er capacity as			
And who	o will sign as follows:	(Specimen signature)		

be, and is hereby, uthorized to sign the bid and any and all other documents and/or correspondence in connection with and relating to the bid, as well as to sign any contract, and or all documentation resulting from the award of the bid to the enterprise mentioned above.

Note: The resolution must be signed by all the directors or members *I* partners of the bidding enterprise. Should the space provided below not be sufficient for all directors to sign, please provide a separate sheet in the same format as below.

Name	Capacity	Date of Director's appointment	Signature
-	Name	Name Capacity	Name Capacity Date of Director's appointment

Enterprise Stamp		

## **OVERBERG DISTRICT MUNICIPALITY**


## TAX CLEARANCE REQUIREMENTS

## IT IS A CONDITION OF BIDDING THAT -

- 1. The taxes of the successful bidder must be in order, or that satisfactory arrangements have been made with the Receiver of Revenue to meet his / her tax obligations.
  - 5 The attached form "Application for Tax Clearance Certificate (in respect of bidders)", must be completed in all respects and submitted to the Receiver of Revenue where the bidder is registered for tax purposes. The Receiver of Revenue will then furnish the bidder with a Tax Clearance Certificate that will be valid for a period of twelve (12) months from date of issue. This Tax Clearance Certificate must be submitted together with the bid. Failure to submit a valid Tax Clearance Certificate may\_invalidate the bid.
  - 5 In bids where Consortia / Joint Ventures / Sub-contractors are involved each party must submit a separate Tax Clearance Certificate. Copies of the Application for Tax Clearance Certificates are available at any Receiver's Office.

Bidders who are registered on the municipality's accredited supplier database and attached a valid tax clearance certificate to their application form does not need to submit a tax clearance certificate with their bid document.

Is your company already registered on the Overberg District Municipality's Database?



Have you confirmed this with the Supply Chain Management Department of the ODM?



If yes, please provide ODM Database Supplier Number \_\_\_\_\_

## **PRICING SCHEDULE**

Name of Bidder: \_\_\_\_\_

Bid Number: Q18-2019/20

Closing Time: 12:00

Closing Date: 17 July 2020

## OFFER TO BE VALID FOR 90 DAYS FROM THE CLOSING DATE OF BID.

For proper evaluation purposes it is essential that this specific pricing schedule be completed in full and signed. Alternative pricing schedules will not be accepted.

DESCRIPTION	UNIT	QUANTITY	RAND
GENERAL			
CCTV Inspection: Set up CCTV equipment for projects		7	
		(Establishme	
		nt due to	
	Sum	distance)	R
		Total A	R
EARTHWORKS & REINSTATEMENT			
Excavate in all materials for launching and pulling trenches			
compact and dispose of surplus material. No excavated material			ed in any road
reserve. Approved filling material (crusher dust or filling sa	nd) shal	be used.	
Up to a depth of 1.5m	m³	50	R
Barricading of excavated area with safety netting and			
maintaining of safety netting	m	50	R
Barricading of excavated area with safety tape and			
maintaining of safety tape (In situations when instructed	m	50	
by the Engineer)			R
Excavate and reinstate trail holes 1m x 1m x 1.5m deep			
(1.5m <sup>3</sup> )	Each	5	R
Excavate and reinstate trenches, trial holes and expose			
and remove tree roots around pipe on the instruction of			
the Engineer	m³	5	R
Coto handling of aphastas pine off outs (Include actat	, ouito	Novoo hogo 9	all nanar warka)
Safe handling of asbestos pipe off-cuts (Include safety Handling & transport 51 to 75kg asbestos pipe cut-offs	suits, g	10 10 10 10 10 10 10 10 10 10 10 10 10 1	all paper works)
		Tie in's plus	
	Each	cracks	R
Reinstate the following surfaces using the following ex-			
subsurface ground preparation). No excavated materia			
reserve. Approved filling material (crusher dust or filling			
Grass and lawns (replacing with sods) The grassed area			
covered		50	
with proper topsoil and irrigated for at least three months		Client will	
or when well established)	m²	need to water	R
Import backfill material from commercial sources – Filling			
Sand	m <sup>3</sup>	5	R
Import backfill material from commercial sources – Base	m³	_	_
course		5	R

ACCOMMODATION OF TRAFFIC (Site Establishment)			
Establish equipment on site to ensure safety of traffic and	Sum	1	
pedestrians during the duration of the works			R
Maintain equipment on site-for projects	Sum	18	
		Compensatio	
		n for distance	R
	•		
		Total B	R
PIPE CRACKING			
Supply, install and test PN 12.5 PE 100 HDPE pipe to re	eplace e	existing water, i	ncluding all
welds and the provision of a temporary water supply, f			
	m	80	
110 mm			R
Tie in HDPE Water Main to Existing Mains		1	1
	Each	1	
110 mm HDPE to existing 75 mm FC			R
	Each	2	· · ·
110 mm HDPE to existing 100 mm FC		_	R
HOUSE CONNECTIONS	1		
Disconnect existing 15mm, 20mm and 25mm property	connec	tions using app	roved saddles
with applicable BSP socket and approved DZR ball val			
HDPE water main of the following diameters:		, <b></b> , <b></b> app:	
110 mm Ø ALPRENE or MAGNUM- PVC saddles with			
DZR brass insert and stainless-steel gr 316 bolts & nuts			
and Nickel anti-seize compound and C20 COBRA ball			
valve.	Each	5	R
Valves	Laon	0	11
Demolish and reconstruct existing valve chambers. Su	innly of	flanged valves	Only AVK-I HC
type or similar approved, drilled table D BS10. The valv			
attached to spindle with a stainless steel grade 316 bo			
100 mm	Each	1	
Demolish and reconstruct existing/new valve chamber		ove evisting va	lves and install
only with a new flanged resilient seal gate valve and in			
Steel grade 316 bolts and nuts and Nickel anti-seize co			
316 flange backing ring and welded stub on the HDPE			
frame.	pipe. 0		
100 mm	Each	1	R
Supply of flanged valves Only AVK-LHC type or simila		ved drilled tabl	
valve must be fitted with a cap top and attached to spi			
bolt (and nut depending of the patent)		11 a stanness-st	cel glade 310
Supply only- hydrant AVK-LHC type or similar approved			
with London round outlet	Each	1	R
Remove existing hydrant and install only with a new h		e energified and	
(including Stainless Steel grade 316 bolts and nuts and			
Stainless-Steel grade 316 flange backing ring and weld			
flanged valve to the Stainless-Steel grade 316 flanged			
welded stub on the HDPE pipe. The hydrant tee, exten			
shall be fully welded using approved fusion couplings	. Suppr	y new polymer	
frame.	1		
110mm	Each	-	Б
110mm	Each		R
			<b>T</b>
			Initial

Provide and install double flanged stainless-steel grad table D BS 10 complete for the following diameters: in coated coupler with stainless steel grade 316 bolts and	cluding		
	i nuis		
75mm x100mm			
		1	
		HDPE - lead	
		on SS 16	
	Each	weeks	R
Butt welding of joints (if requested by Engineer on	Luon	WOOND	11
municipal own projects) Site establishment and de-			
establishment – include all equipment and power All butt			
welding to be undertaken by a certified welder. PROOF			
OF COMPLIANCE TO BE SUBMITTED AT TENDER		7	
STAGE	Sum	Distance	R
Site establishment and de-establishment per butt-weld (all PN classes included)	ling ass	ignment Butt w	elding per weld
· · · · · · · · · · · · · · · · · · ·			
110mmØ butt weld	Each	2	R
By-pass for water supply to affected properties			
Supply, install, maintain and dismantle a 50/63mmØ			
HDPE PN12.5 PE100 bypass to service section of			
affected properties along the water pipe upgrading			
(measured along the length of the property) The rate is			
inclusive of all non-leak fittings) to maximum length of			
500metre	metre	80	R
Compliance to Construction Regulations 2014			
Safety plan assessment and final approval by			
independent H& S agent	Each	1	R
Safety audits on a weekly basis by independent H& S			
agent	Each	4	R
agent	Lach	Т	11
Close out at project end by independent H& S agent	Each	1	R
Compile safety file per each project as per Contractors			
obligation according Construction Regulation 2014	Each	1	R
		Tatal O	
		Total C	

SUMMARY	
Total A GENERAL	R
Total B EARTHWORKS & REINSTATEMENT	R
Total C PIPE CRACKING	R
Sub Total	R
AIA Asbestos Psum	R
Add 5% Contingencies	R
Subtotal (Ex VAT)	R
Add 15% VAT	R
Total	R

Address of Office Site.....

The quantities as indicated in the pricing schedule are only estimates which will be used in order to evaluate the

bid. The unit prices as quoted above must remain fixed for the duration of the contract.

Required by:

At:

Mr J Botha

Resorts

Does offer comply with specification? \*YES/NO

If not to specification, indicate deviation(s)

Period required for delivery

\*Delivery date: Firm/not firm

Note: All costs must be included in the bid price and delivered to the prescribed destination

ĺn	i	ti	al	
uı		u	u	

## MBD 4

## **DECLARATION OF INTEREST**

- 1. No bid will be accepted from persons in the service of the state<sup>1</sup>.
- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority
- 3 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.
- 3.1 Full Name of bidder or his or her representative.....
- 3.6 VAT Registration Number:
- 3.7 The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.
- 3.8 Are you presently in the service of the state? YES / NO
  3.8.1 If yes so, furnish particulars.....

<sup>1</sup>MSCM Regulations: "in the service of the state" means to be -

- (a) a member of
  - (i) any municipal council;
  - (ii) any provincial legislature; or
  - (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.

<sup>2</sup>Shareholder – means a person who owns shares in the company and is actively involved in the management of the company or business and exercise control over the company.

3.9	Have you been in the service of the state for the past twelve months?	YES / NO
3.9.1	If yes so, furnish particulars	
3.10	Do you; have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid?	YES / NO
3.10.1	If yes so, furnish particulars	
3.11	Are you, aware of any relationship (family, friend, other) between a bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid?	YES / NO
3.11.1	If yes so, furnish particulars	
3.12	Are any of the company's directors, managers, principle shareholders or stakeholders in service of the state?	YES / NO
3.12.1	If yes so, furnish particulars	
3.13	Are any spouse, child or parent of the company's directors, managers, principle shareholders or stakeholders in service of the state?	YES / NO
3.13.1	If yes so, furnish particulars:	

Name of the company's director / manager / principle shareholder and/or stakeholder	Full name of family member	Relationship	Name of the organization (Organ of State)	Capacity (Designation) in which family member is in at OOS*

\*Organ of State

3.14 Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract.

YES / NO

3.14.1 If yes so, furnish particulars.....

## 4. Full details of directors / trustees / members / shareholders

Full Name	Identity Number	State Employee Number

.....

Signature

Date

.....

Capacity

.....

.....

Name of Bidder

## **RESPONSIVENESS AND EVALUATION CRITERIA**

**NB:** Overberg District Municipality may verify any information submitted in terms of this proposal and any information that is incorrect may result in that Bid being automatically disqualified and not considered further.

## **RESPONSIVENESS CRITERIA**

No bid will be considered by Overberg District Municipality unless it meets the following responsiveness criteria (for the bid to be considered responsive, the bid **must** meet the following requirements):

- 1. The bid must be properly received in a sealed envelope clearly indicating the description of the service and the bid number for which the bid is submitted.
- 2. The bid must be deposited in the relevant Bid box as indicated on the notice of the bid on or before the closing date and time of the bid. **Telephonic, facsimile, electronic/emailed and late bids will not be accepted.**
- 3. A Valid Tax Clearance Certificate must be attached to the bid document. Bidders who are registered on the municipality's accredited supplier database and attached a valid tax clearance certificate to their application form does not need to submit a tax clearance certificate with their bid document.
- 4. The official bid document must be fully completed in indelible ink. Where information requested does not apply to the bidder and the space is left blank, it will be deemed to be not applicable.

## 5. Completion of Bid Documents

(a) The original bid document must be completed fully in black ink and signed by the authorized signatory to validate the proposal. **All the pages must be initialed by the authorized signatory**. Failure to do so may result in the invalidation of the bid.

- (b) Bid documents may not be retyped or altered in any way.
- 6. All requested relevant and/or additional documentation such as Compliance Certificates, professional registration, artisan qualification, etc, must be submitted with the bid document. Please indicate where in this document these attachments can be found.
- 7. The bidder must complete the previous experience schedule on page 12 of the bid document in order to prove its experience.
- 8. Annexure A (Authorization to deduct outstanding amounts) must be completed and signed. (Page 56)
- 9. Annexure B (certificate for municipal services and payments to service provider) must be completed and signed. Bidders must submit a certified statement signed by the bidder declaring that the bidder has no undisputed commitments for municipal services towards a municipality or other service provider in respect of which payment is overdue for more than 30 days. (Page 57)
- 10. The bidder must be in good standing to do business with the public sector in terms of Regulation 38 of the Supply Chain Management Regulations (Government Gazette 27636 of 30 May 2005).
- 11. If the entity submitting a bid is a Joint Venture or Consortium or Partnership, each party to that formation must submit all the above information.
- 12. The bidder must adhere to the Pricing Instructions (MBD 3.1) (Page 19 22). The quantities as indicated in the pricing schedule are only estimates which will be used in order to evaluate the bid. The unit prices as quoted above must remain fixed for the duration of the contract.
- 13. The Bidders Details must be provided.
- 14. The necessary document authorized the Representative to sign and submit the bid on the bidder's behalf must be completed and signed. (Page 17)

- 15. The Declaration of Interests (MBD 4) must be completed and signed by the bidder. (Page 23 25)
- 16. The GCC (General Conditions of Contract) (MBD5) must be signed by the bidder (Page 28 39). Only the section applicable to the Bidder (Supplier).
- 17. MBD 8 (Declaration of bidder's past supply chain management practices) must be completed and signed
- 18. MBD 9 (Certificate of independent bid determination) must be completed and signed
- 19. The checklist at the back of the bid document must be completed and adhered to.

## **EVALUATION OF BIDS**

- All bids received must be evaluated in terms of the Supply Chain Management Regulations, Preferential Procurement Policy Framework Act, SCM Policy and the Preferential Procurement Policy.
- The Council reserves the right to accept all, some, or none of the bids submitted either wholly or in part and it is not obligated to accept the lowest bid.
- Bids will be evaluated in terms of their responsiveness to the bid specifications and requirements as well as such additional criteria as set out in the bid documents. Bidders must ensure that they adhere to the Responsive and Evaluation Criteria (Page 26 – 27)

## LOCAL CONTENT

- Only locally produced or locally manufactured goods, works and services with the stipulated minimum threshold for local production and content will be considered.
- Bidders must achieve the minimum local content, MBD 6.2 must be completed in this regard (Page 46 50)
   Plastic Pipes
- ANNEXURE C (Page 59); ANNEXURE D (Page 60 61); ANNEXURE E (Page 62) Steel Conveyance Pipes, Pipe Fittings and Specials
- ANNEXURE C (Page 63); ANNEXURE D (Page 64 65); ANNEXURE E (Page 66) Steel Products and Components for Construction
- ANNEXURE C (Page 67); ANNEXURE D (Page 68 69); ANNEXURE E (Page 70) Valve Products and Actuators
- ANNEXURE C (Page 71); ANNEXURE D (Page 72 73); ANNEXURE E (Page 74)

## AREAS TO BE INCLUDED IN EVALUATION PROCESS:

## **Evaluation of Preference Point**

Will be as follows:	
Price	80 points
BBBEE status	20 points
Total	100 points

## REGISTRATION ON ACCREDITED SUPPLIER DATABASE AND THE CENTRAL SUPPLIER DATABASE (CSD)

- It is expected of all prospective service providers who are not yet registered on the Overberg District Municipality's Accredited Supplier Database to register without delay on the prescribed form. The Overberg District Municipality reserves the right not to award proposals to prospective suppliers who are not registered on the Database.
- Bidders must also be duly registered on the Central Supplier Database (CSD). Should you not be registered on the CSD, please self-register on <u>www.csd.gov.za</u>, for further assistance please contact <u>csd@treasury.gov.za</u> or 012 315 5509
- The municipality is not allowed to do any business with suppliers who are not registered on the CSD

## MBD5

## **OVERBERG DISTRICT MUNICIPALITY**



## **GOVERNMENT PROCUREMENT:**

## **GENERAL CONDITIONS OF CONTRACT (July 2010)**

Made and entered into between:

**Overberg District Municipality** (Hereinafter referred to as the "Client")

AND

(Hereinafter referred to as the "supplier")

## TABLE OF CLAUSES

- 1. Definitions
- 2. Application
- 3. General
- 4. Standards
- 5. Use of contract documents and information inspection
- 6. Patent Rights
- 7. Performance security
- 8. Inspections, tests and analyses
- 9. Packing
- 10. Delivery and documents
- 11. Insurance
- 12. Transportation
- 13. Incidental Services
- 14. Spare parts
- 15. Warranty
- 16. Payment
- 17. Prices
- 18. Variation orders
- 19. Assignment
- 20. Subcontracts
- 21. Delays in the supplier's performance
- 22. Penalties
- 23. Termination for default
- 24. Anti-dumping and countervailing duties and rights
- 25. Force Majeure
- 26. Termination for insolvency
- 27. Settlement of Disputes
- 28. Limitation of Liability
- 29. Governing language
- 30. Applicable law
- 31. Notices
- 32. Taxes and duties
- 33. Transfer of contracts
- 34. Amendments of contracts

## **GENERAL CONDITIONS OF CONTRACT**

## 1. Definitions

The following terms must be interpreted as indicated:

- 1.1 "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2 "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3 "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4 "Corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6 "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7 "**Day**" means calendar day.
- 1.8 "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9 "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- 1.10 "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the goods are so delivered and a valid receipt is obtained.
- 1.11 **"Dumping"** occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA.
- 1.12"Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.

_				
In	11	ti	ิลไ	
		ιı	u	L

- 1.16 "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the goods covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price, which is not included in the imported content provided that local manufacture does take place.
- 1.18 **"Manufacture"** means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organization purchasing the goods.
- 1.22 "Republic" means the Republic of South Africa.
- 1.23 "SCC" means the Special Conditions of Contract.
- 1.24 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25 "Supplier" means the successful bidder who is awarded the contract to maintain and administer the required and specified service(s) to the State.
- 1.26 "Tort" means in breach of contract.
- 1.27 **"Turnkey"** means a procurement process where one service provider assumes total responsibility for all aspects of the project and delivers the full end product / service required by the contract.
- 1.28 "Written" or "in writing" means hand-written in ink or any form of electronic or mechanical writing.

## 2. Application

- 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services (excluding professional services related to the building and construction industry), sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, special conditions of contract are also laid down to cover specific goods, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions must apply.

## 3. General

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser must not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2 Invitations to bid are usually published in locally distributed news media and on the municipality/municipal entity website.

## 4. Standards

4.1 The goods supplied must conform to the standards mentioned in the bidding documents and specifications.

## 5. Use of contract documents and information inspection

- 5.1 The supplier must not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person must be made in confidence and must extend only so far as may be necessary for purposes of such performance.
- 5.2 The supplier must not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 must remain the property of the purchaser and must be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4 The supplier must permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

## 6. Patent Rights

- 6.1 The supplier must indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.
- 6.2 When a supplier developed documentation / projects for the municipality / municipal entity, the intellectual, copy and patent rights or ownership of such documents or projects will vest in the municipality / municipal entity.

## 7. Performance security

- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder must furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security must be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security must be denominated in the currency of the contract or in a freely convertible currency acceptable to the purchaser and must be in one of the following forms:

(a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or

- (b) A cashier's or certified cheque.
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified.

#### 8. Inspections, tests and analyses

- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that goods to be produced or services to be rendered should at any stage be subject to inspections, tests and analyses, the bidder or contractor's premises must be open, at all reasonable hours, for inspection by a representative of the purchaser or organization acting on behalf of the purchaser.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections must be carried out, the purchaser must itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the goods to be in accordance with the contract requirements, the cost of the inspections, tests and analyses must be defrayed by the purchaser.
- 8.5 Where the goods or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such goods or services are accepted or not, the cost in connection with these inspections, tests or analyses must be defrayed by the supplier.
- 8.6 Goods and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract goods may on or after delivery be inspected, tested or analysed and may be rejected if found not to comply with the requirements of the contract. Such rejected goods must be held at the cost and risk of the supplier who must, when called upon, remove them immediately at his own cost and forthwith substitute them with goods, which do comply with the requirements of the contract. Failing such removal the rejected goods must be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute goods forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected goods, purchase such goods as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 must not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 22 of GCC.

## 9. Packing

- 9.1 The supplier must provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing must be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size weights must take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages must comply strictly with such special requirements as must be expressly provided for in the contract, including additional requirements, if any, and in any subsequent instructions ordered by the purchaser.

#### 10. Delivery and documents

10.1 Delivery of the goods and arrangements for shipping and clearance obligations, must be made by the supplier in accordance with the terms specified in the contract.

## 11. Insurance

11.1 The goods supplied under the contract must be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified.

## 12. Transportation

12.1 Should a price other than an all-inclusive delivered price be required, this must be specified.

## 13. Incidental Services

- 13.1 The supplier may be required to provide any or all of the following services, including additional services, if any:
  - (a) Performance or supervision of on-site assembly and/or commissioning of the supplied goods;
  - (b) Furnishing of tools required for assembly and/or maintenance of the supplied goods;
  - (c) Furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
  - (d) Performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service must not relieve the supplier of any warranty obligations under this contract; and
  - (e) Training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, must be agreed upon in advance by the parties and must not exceed the prevailing rates charged to other parties by the supplier for similar services.

## 14. Spare parts

- 14.1 As specified, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
  - (a) Such spare parts as the purchaser may elect to purchase from the supplier, provided that this election must not relieve the supplier of any warranty obligations under the contract; and;
  - (b) In the event of termination of production of the spare parts:
    - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
    - (ii) Following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

## 15. Warranty

- 15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract must have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2 This warranty must remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise.
- 15.3 The purchaser must promptly notify the supplier in writing of any claims arising under this warranty.

- 15.4 Upon receipt of such notice, the supplier must, within the period specified and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

## 16. Payment

- 16.1 The method and conditions of payment to be made to the supplier under this contract must be specified.
- 16.2 The supplier must furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfilment of other obligations stipulated in the contract.
- 16.3 Payments must be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated.

#### 17. Prices

17.1 Prices charged by the supplier for goods delivered and services performed under the contract must not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized or in the purchaser's request for bid validity extension, as the case may be.

## 18. Variation orders

18.1 In cases where the estimated value of the envisaged changes in purchase does not vary more than 15% of the total value of the original contract, the contractor may be instructed to deliver the goods or render the services as such. In cases of measurable quantities, the contractor may be approached to reduce the unit price, and such offers may be accepted provided that there is no escalation in price.

#### 19. Assignment

19.1 The supplier must not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

#### 20. Subcontracts

20.1 The supplier must notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, must not relieve the supplier from any liability or obligation under the contract.

## 21. Delays in the supplier's performance

- 21.1 Delivery of the goods and performance of services must be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier must promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser must evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension must be ratified by the parties by amendment of contract.

- 21.3 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the goods are required, or the supplier's services are not readily available.
- 21.4 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations must render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 22.2 without the application of penalties.
- 21.5 Upon any delay beyond the delivery period in the case of a goods contract, the purchaser must, without cancelling the contract, be entitled to purchase goods of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

#### 22. Penalties

22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser must, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

#### 23. Termination for default

- 23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
  - (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
  - (b) if the supplier fails to perform any other obligation(s) under the contract; or
  - (c) if the supplier, in the judgement of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner, as it deems appropriate, goods, works or services similar to those undelivered, and the supplier must be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier must continue performance of the contract to the extent not terminated.
- 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4 If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the supplier as having no objection and proceed with the restriction.

- 23.5 Any restriction imposed on any person by the purchaser will, at the discretion of the purchaser, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the purchaser actively associated.
- 23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
  - (i) The name and address of the supplier and / or person restricted by the purchaser.
  - (ii) The date of commencement of the restriction
  - (iii) The period of restriction; and
  - (iv) The reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

23.7. If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Bid Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website

#### 24. Antidumping and countervailing duties and rights

24.1 When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference must on demand be paid forthwith by the supplier to the purchaser or the purchaser may deduct such amounts from moneys (if any) which may otherwise be due to the supplier in regard to goods or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him.

#### 25. Force Majeure

- 25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier must not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2 If a force majeure situation arises, the supplier must promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier must continue to perform its obligations under the contract as far as is reasonably practical and must seek all reasonable alternative means for performance not prevented by the force majeure event.

#### 26. Termination for insolvency

26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy, which has accrued or will accrue thereafter to the purchaser.

#### 27. Settlement of Disputes

- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties must make every effort to resolve amicably such dispute or difference by mutual consultation.
- 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
  - 27.4 Notwithstanding any reference to mediation and/or court proceedings herein,
    - (a) The parties must continue to perform their respective obligations under the contract unless they otherwise agree; and
    - (b) The purchaser must pay the supplier any monies due the supplier for goods delivered and / or services rendered according to the prescripts of the contract.

#### 28. Limitation of Liability

- 28.1 Except in cases of criminal negligence or wilful misconduct, and in the case of infringement pursuant to Clause 6;
  - (a) The supplier must not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion must not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
  - (b) The aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, must not exceed the total contract price, provided that this limitation must not apply to the cost of repairing or replacing defective equipment.

#### 29. Governing language

29.1 The contract must be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties must also be written in English.

#### 30. Applicable law

30.1 The contract must be interpreted in accordance with South African laws, unless otherwise specified.

#### 31. Notices

- 31.1 Every written acceptance of a bid must be posted to the supplier concerned by registered or certified mail and any other notice to him must be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting must be deemed to be proper service of such notice.
- 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, must be reckoned from the date of posting of such notice.

#### 32. Taxes and duties

- 32.1 A foreign supplier must be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier must be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.

- 32.3 No contract must be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid SARS must have certified that the tax matters of the preferred bidder are in order.
- 32.4 No contract must be concluded with any bidder whose municipal rates and taxes and municipal services charges are in arrears.

#### 33. Transfer of contracts

33.1 The contractor must not abandon, transfer, cede assign or sublet a contract or part thereof without the written permission of the purchaser

#### 34. Amendment of contracts

34.1 No agreement to amend or vary a contract or order or the conditions, stipulations or provisions thereof must be valid and of any force unless such agreement to amend or vary is entered into in writing and signed by the contracting parties. Any waiver of the requirement that the agreement to amend or vary must be in writing, must also be in writing.

#### 35. Prohibition of restrictive practices

- 35.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder(s) is / are or a contractor(s) was / were involved in collusive bidding.
- 35.2 If a bidder(s) or contractor(s) based on reasonable grounds or evidence obtained by the purchaser has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in section 59 of the Competition Act No 89 0f 1998.
- 35.3 If a bidder(s) or contractor(s) has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s)concerned.

Signed at	On this	day of	. 20
As Witnesses:			
1		BIDDER (SUPPLIER)	
2			
Signed at	On this	day of	. 20
As Witnesses:			
1		CLIENT (ODM)	
2			

#### PIPE CRACKING (80 METRES) AT DIE DAM RESORT

#### Q18-2019/20

#### SCHEDULE: PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

#### NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

#### 1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to all bids:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).
- 1.2 The value of this bid is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system must be applicable.
- 1.3 Points for this bid must be awarded for:
  - (a) Price; and
  - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

In	iı	ti	ว	1
ш	1	u	a	L

#### 2. DEFINITIONS

- (a) **"B-BBEE**" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) **"bid"** means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) **"Broad-Based Black Economic Empowerment Act"** means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) **"EME**" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) **"Functionality"** means the ability of a Bider to provide goods or services in accordance with specifications as set out in the Bid documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
  - 1) B-BBEE Status level certificate issued by an authorized body or person;
  - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
  - 3) Any other requirement prescribed in terms of the B-BBEE Act;
  - (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- *(j)* **"rand value"** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

#### 3. POINTS AWARDED FOR PRICE

#### 3.1 THE 80/20 PREFERENCE POINT SYSTEM

A maximum of 80 points is allocated for price on the following basis:

$$80/20$$

$$Ps = 80 \left( 1 - \frac{Pt - P\min}{P\min} \right)$$

Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration

Pmin = Price of lowest acceptable bid

#### 4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

#### 5. BID DECLARATION

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

#### 6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

#### 7. SUB-CONTRACTING

7.1 Will any portion of the contract be sub-contracted?

#### (*Tick applicable box*)

YES NO

- 7.1.1 If yes, indicate:
  - i) What percentage of the contract will be subcontracted.....%
  - ii) The name of the sub-contractor.....
  - iii) The B-BBEE status level of the sub-contractor.....
  - iv) Whether the sub-contractor is an EME or QSE

(Tick applicable box)			
YES		NO	

v) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations,2017:

Designated Group: An EME or QSE which is at last 51% owned	EME	QSE
by:		
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

#### 8. DECLARATION WITH REGARD TO COMPANY/FIRM

Name of company/firm:
VAT registration number:
Company registration number:
TYPE OF COMPANY/ FIRM
Partnership/Joint Venture / Consortium One-person business/sole propriety Close corporation Company (Pty) Limited [TICK APPLICABLE BOX]
DESCRIBE PRINCIPAL BUSINESS ACTIVITIES
COMPANY CLASSIFICATION
Manufacturer Supplier Professional service provider Other service providers, e.g. transporter, etc. [ <i>TICK APPLICABLE BOX</i> ]
MUNICIPAL INFORMATION
Municipality where business is situated: Registered Account Number: Stand Number:

- 8.8 Total number of years the company/firm has been in business: .....
- 8.9 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:
  - i) The information furnished is true and correct;
  - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
  - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
  - iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have
    - (a) disqualify the person from the bidding process;
    - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
    - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
    - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
    - (e) Forward the matter for criminal prosecution.

#### Figure 1

WITNESSES	
1	SIGNATURE(S) OF BIDDERS(S)
2	DATE: ADDRESS

#### SWORN AFFIDAVIT – B-BBEE EXEMPTED MICRO ENTERPRISE

#### I, the undersigned,

Full name & Surname	
Identity number	

Hereby declare under oath as follows:

- 1. The contents of this statement are to the best of my knowledge a true reflection of the facts.
- 2. I am a member / director / owner of the following enterprise and am duly authorised to act on its behalf:

Enterprise Name		
Trading Name		
Registration Number		
Enterprise Address		

3. I hereby declare under oath that:

The enterprise is \_\_\_\_\_% black owned;

The enterprise is \_\_\_\_\_% black woman owned;

Based on the management accounts and other information available on the \_\_\_\_\_\_financial year, the income did not exceed R10, 000,000.00 (ten million rands);

Please confirm on the table below the B-BBEE level contributor, by ticking the applicable box.

100% black owned	Level One (135% B-BBEE procurement recognition)	
More than 51% black owned	Level Two (125% B-BBEE procurement recognition)	
Less than 51% black owned	Level Four (100% B-BBEE procurement recognition)	

4. The entity is an empowering supplier in terms of the dti Codes of Good Practice.

- 5. I know and understand the contents of this affidavit and I have no objection to take the prescribed oath and consider the oath binding on my conscience and on the owners of the enterprise which I represent in this matter.
- 6. The sworn affidavit will be valid for a period of 12 months from the date signed by commissioner.

Deponent Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Commissioner of Oaths Signature & stamp

## DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Municipal Bidding Document (MBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

#### 1. GENERAL CONDITIONS

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8 (2) prescribes that in the case of designated sectors, organs of state must advertise such Bids with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for Bids referred to in paragraph 1.2 above, a two-stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

LC = [1 - x / y] \* 100

Where

x is the imported content in Rand

y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial development/ip.jsp at no cost.

1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation.

#### 2. **DEFINITIONS**

- 2.1. "bid" includes written price quotations, advertised competitive bids or proposals.
- 2.2. "bid price" price offered by the bidder, excluding value added tax (VAT).
- 2.3. "contract" means the agreement that results from the acceptance of a bid by an organ of state.
- 2.4. "designated sector" means a sector, sub-sector or industry that has been designated by the Department of Trade and Industry in line with national development and industrial policies for local production, where only locally produced services, works or goods or locally manufactured goods meet the stipulated minimum threshold for local production and content;
- 2.5. "duly sign" means a Declaration Certificate for Local Content that has been signed by the Chief Financial Officer or other legally responsible person nominated in writing by the Chief Executive, or senior member / person with management responsibility(close corporation, partnership or individual).
- 2.6. "**imported content**" means that portion of the bid price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or its subcontractors) and which costs are inclusive of the costs abroad (this includes labour and intellectual property costs), plus freight and other direct importation costs, such as landing costs, dock duties, import duty, sales duty or other similar tax or duty at the South African port of entry;
- 2.7. "**local content**" means that portion of the bid price, which is not included in the imported content, provided that local manufacture does take place;
- 2.8. "**stipulated minimum threshold**" means that portion of local production and content as determined by the Department of Trade and Industry; and
- 2.9. "**sub-contract**" means the primary contractor's assigning, leasing, making out work to, or employing another person to support such primary contractor in the execution of part of a project in terms of the contract.

#### 3. THE STIPULATED MINIMUM THRESHOLD(S) FOR LOCAL PRODUCTION AND CONTENT (REFER TO ANNEX A OF SATS 1286:2011) FOR THIS BID IS/ARE AS FOLLOWS:

ITEM	DESCRIPTION OF GOODS, SERVICES OR WORKS	STIPULATED MINIMUM THRESHOLD
1	HDPE Pipes (Plastic Pipes)	100%
2	PVC Pipes (Plastic Pipes)	100%
3	Flanges (Steel Conveyance Pipes, Pipe Fittings and Specials)	100%
4	Bolts and Nuts (Steel Products and Components for Construction)	100%
5	Valves (Valve Products and Actuators)	70%
6	Hydrant (Valve Products and Actuators)	70%

4. Does any portion of the services, works or goods offered have any imported content? (*Tick applicable box*)

YES	NO	
-----	----	--

4.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by the SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information are accessible on www.reservebank.co.za.

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

5. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the DTI must be informed accordingly in order for the DTI to verify and in consultation with the Accounting Officer / Accounting Authority provide directives in this regard.

#### LOCAL CONTENT DECLARATION (REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

IN RESPECT OF BID NO.

**ISSUED BY**: (Procurement Authority / Name of Municipality / Municipal Entity):

.....

NB

- 1. The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.
- Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on <u>http://www.thedti.gov.za/industrial</u> <u>development/ip.jsp.</u> Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C.
- 3.

## Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below.

Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

I, the undersigned, ...... (full names), do hereby

declare, in my capacity as ..... of

.....(name of bidding entity), the

following:

(a) The facts contained herein are within my own personal knowledge.

(b) I have satisfied myself that

- the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and
   (ii) the deeleration templetes have been sudited and certified to be correct.
- (ii) the declaration templates have been audited and certified to be correct.

(c) The local content percentages (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C;

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C must be used instead of the table above. The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

(d) I accept that the Procurement Authority / Municipality /Municipal Entity has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.

(e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Municipal / Municipal Entity imposing any or all of the remedies as provided for in Regulation 8 of the Preferential Procurement Regulations, 2017 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE:	DATE:
WITNESS No. 1	DATE:
WITNESS No. 2	DATE:

#### DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1. This Standard Bidding Document must form part of all bids invited.
- 2. It serves as a declaration to be used by institutions in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3. The bid of any bidder may be disregarded if that bidder or any of its directors have
  - a. abused the institution's supply chain management system;
  - b. committed fraud or any other improper conduct in relation to such system; or
  - c. failed to perform on any previous contract.
- 4. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

4.1	Is the bidder or any of its directors listed on the National Treasury's database as a company or person prohibited from doing business with the public sector? (Companies or persons who are listed on this database were informed in writing of this restriction by the National Treasury after the <i>audi alteram partem</i> rule was applied).	Yes	No
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Bid Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)? (To access this Register enter the National Treasury's website, <u>www.treasury.gov.za</u> , click on the icon "Register for Bid Defaulters" or submit your written request for a hard copy of the Register to facsimile number (012) 3265445.)	Yes	No
4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court outside of the Republic of South Africa) for fraud or corruption during the past five years?	Yes	No
4.3.1	If so, furnish particulars:		
4.4	Was any contract between the bidder and the municipality / municipal entity or any othe organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes	No
4.4.1	If so, furnish particulars:		
4.5	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes	No
4.5.1	If so, furnish particulars		

#### CERTIFICATION

I, THE UNDERSIGNED (FULL NAME) .....

CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM TRUE AND CORRECT.

I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	Date

.....

Position

.....

Name of Bidder

#### CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1. This Municipal Bidding Document (MBD) must form part of all bids<sup>1</sup> invited.
- Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging)<sup>2</sup>. Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
- 3. Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
  - (a) take all reasonable steps to prevent such abuse;
  - (b) reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
  - (c) cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
- 4. This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

	•	•	1
ln	111	11	പ
ın			a i

<sup>&</sup>lt;sup>1</sup> Includes price quotations, advertised competitive bids, limited bids and proposals.

<sup>&</sup>lt;sup>2</sup> Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

#### **CERTIFICATE OF INDEPENDENT BID DETERMINATION**

I, the undersigned, in submitting the accompanying bid:

#### BID NO: Q18-2019/20

#### PIPE CRACKING (80 METRES) AT DIE DAM RESORT

In response to the invitation for the bid made by:

#### **OVERBERG DISTRICT MUNICIPALITY**

Do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: \_

(Name of Bidder)

\_that:

- i. I have read, and I understand the contents of this Certificate;
- **ii.** I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
- iii. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
- iv. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
- v. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" must include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
  - (a) Has been requested to submit a bid in response to this bid invitation;
  - (b) Could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
  - (c) Provides the same goods and services as the bidder and/or is in the same line of business as the bidder, who:
- vi. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium<sup>3</sup> will not be construed as collusive bidding.

<sup>3</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

- vii. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
  - (a) Prices;
  - (b) Geographical area where product or service will be rendered (market allocation)
  - (c) Methods, factors or formulas used to calculate prices;
  - (d) The intention or decision to submit or not to submit, a bid;
  - (e) The submission of a bid which does not meet the specifications and conditions of the bid; or
  - (f) Bidding with the intention not to win the bid.
- viii. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
- ix. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- x. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No. 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No. 12 of 2004 or any other applicable legislation.

Signat	ure		

Date

.....

Position

.....

Name of Bidder

#### **ANNEXURE A**



BID NO: Q18-2019/20:

PIPE CRACKING (80 METRES) AT DIE DAM RESORT

Authorization to deduct outstanding amounts

To: Municipal Manager, Overberg District Municipality

From: \_\_\_\_\_

(Name of Bidder or Consortium)

AUTHORISATION FOR THE DEDUCTION OF OUTSTANDING AMOUNTS OWED TO COUNCIL

I, THE UNDERSIGNED, \_\_\_\_\_

(Full name in block letters)

Hereby authorize the Overberg District Municipality to deduct the full amount outstanding by the business organization / Director, shareholder, partner, etc from any payment due to us / me.

, the undersigned,

#### To: Municipal Manager, Overberg District Municipality CERTIFICATE FOR MUNICIPAL SERVICES AND PAYMENTS TO SERVICE PROVIDER

BID NO: Q18-2019/20: PIPE CRACKING (80 METRES) AT DIE DAM RESORT

NAME OF THE BIDDER: .....

#### FURTHER DETAILS OF THE BIDDER/S; Proprietor / Director/s / Partners, etc:

Physical business address of Bidder	Municipal Account numbers

If there is not enough space for all the names, please attach the additional details to the Bid Document

Name of Director/Member/Partner	Identity number	Physical residential address of Director/Member/Partner	Municipal Account numbers

Ι, \_

(Full name in block letters)

Certify that the information furnished on this declaration form is correct and that I/we have no undisputed commitments for municipal services towards a municipality or other service provider in respect of which payment is overdue for more than 30 days.

## PLEASE ATTACH A RECENT MUNICIPAL ACCOUNT OF THE COMPANY <u>AND</u> OF EACH DIRECTOR/MEMBER/PARTNER

Signature

THUS, DONE AND SIGNED for and on behalf on the Bidder / Contractor

At	. On the da	iy of	20
(Place)	(Date)	(Month)	(Year)

Please Note: Even if the requested information is not applicable to the Bidder, the table above should be endorsed. Not Applicable and THIS DECLARATION MUST STILL BE SIGNED



#### COMPULSORY TO COMPLETE

#### CHECK LIST FOR COMPLETENESS OF BID DOCUMENT

The bidder must ensure that the following checklist is completed, that the necessary documentation is attached to this bid document and that all declarations are signed:

#### \*Mark with **"X**" where applicable

1. Completed page containing the details of bidder         2. Valid tax clearance certificate attached to bid document (MBD 2).         a. Bidders who are registered on the municipality's accredited supplier database and attached a valid tax clearance certificate to their database application form does not need to submit a tax clearance certificate with their bid document.         3. Adhered to the pricing instructions (MBD 3.1)         4. Schedule of previous experience of bidder on page 5 must be completed         5. Completed and signed declaration of interest (MBD 4)         6. Signed General Conditions of contract (MBD 5)         7. Signed declaration of bidder's past supply chain management practices (MBD 8)         8. Certificate of independent bid determination (MBD 9) be completed and signed         9. Attached municipal account (s) of the business <u>AND</u> of each director/member/partner of the business.         10. Bidder must initial every page of this bid document	lter	ns to be checked	Yes	No	Comments
(MBD 2).       a. Bidders who are registered on the municipality's accredited supplier database and attached a valid tax clearance certificate to their database application form does not need to submit a tax clearance certificate with their bid document.         3. Adhered to the pricing instructions (MBD 3.1)       4. Schedule of previous experience of bidder on page 5 must be completed         5. Completed and signed declaration of interest (MBD 4)       6. Signed General Conditions of contract (MBD 5)         7. Signed declaration of bidder's past supply chain management practices (MBD 8)       8. Certificate of independent bid determination (MBD 9) be completed and signed         9. Attached municipal account (s) of the business AND of each director/member/partner of the business.       9.	1.	Completed page containing the details of bidder			
accredited supplier database and attached a valid tax         clearance certificate to their database application form         does not need to submit a tax clearance certificate with         their bid document.         3. Adhered to the pricing instructions (MBD 3.1)         4. Schedule of previous experience of bidder on page 5 must         be completed         5. Completed and signed declaration of interest (MBD 4)         6. Signed General Conditions of contract (MBD 5)         7. Signed declaration of bidder's past supply chain         management practices (MBD 8)         8. Certificate of independent bid determination (MBD 9) be         completed and signed         9. Attached municipal account (s) of the business <u>AND</u> of         each director/member/partner of the business.	2.				
<ul> <li>4. Schedule of previous experience of bidder on page 5 must be completed</li> <li>5. Completed and signed declaration of interest (MBD 4)</li> <li>6. Signed General Conditions of contract (MBD 5)</li> <li>7. Signed declaration of bidder's past supply chain management practices (MBD 8)</li> <li>8. Certificate of independent bid determination (MBD 9) be completed and signed</li> <li>9. Attached municipal account (s) of the business <u>AND</u> of each director/member/partner of the business.</li> </ul>	a.	accredited supplier database and attached a valid tax clearance certificate to their database application form does not need to submit a tax clearance certificate with			
be completed	3.	Adhered to the pricing instructions (MBD 3.1)			
6. Signed General Conditions of contract (MBD 5)         7. Signed declaration of bidder's past supply chain management practices (MBD 8)         8. Certificate of independent bid determination (MBD 9) be completed and signed         9. Attached municipal account (s) of the business <u>AND</u> of each director/member/partner of the business.	4.				
<ul> <li>7. Signed declaration of bidder's past supply chain management practices (MBD 8)</li> <li>8. Certificate of independent bid determination (MBD 9) be completed and signed</li> <li>9. Attached municipal account (s) of the business <u>AND</u> of each director/member/partner of the business.</li> </ul>	5.	Completed and signed declaration of interest (MBD 4)			
management practices (MBD 8)         8. Certificate of independent bid determination (MBD 9) be completed and signed         9. Attached municipal account (s) of the business AND of each director/member/partner of the business.	6.	Signed General Conditions of contract (MBD 5)			
completed and signed       9. Attached municipal account (s) of the business AND of each director/member/partner of the business.	7.	•			
each director/member/partner of the business.	8.				
10. Bidder must initial every page of this bid document	9.	Attached municipal account (s) of the business AND of			
	10.	Bidder must initial every page of this bid document			

CERTIFICATION

I, THE UNDERSIGNED (FULL NAME) .....

CERTIFY THAT THE INFORMATION FURNISHED ON THIS CHECK LIST IS TRUE AND CORRECT.

.....

Signature

Date

....

.....

.....

Name

Position

										5	SATS 1286.2011
					ANNE	KURE C					
				Local Conter	nt Declarati	on – Sum	mary Scheo	dule			
(C1) Bid No.		Q18-2019/2	20						NOTE:	VAT to be excluded f	rom all calculations
(C2) Bid Des	scription	PIPE CRA	CKING (80 METR	RES) AT DIE DAM F	RESORT						
(C3) Designa	ated product(s)	Plastic Pipe	es								
(C4) Bid Aut	thority	Overberg [	District Municipalit	у							
(C5) Name of Biding Entity											
(C6) Bid Exc	C6) Bid Exchange Rate Currency			Rate							
(C7) Specifi	ed local content %	100%									
				Calculation of loc	al content				Bid s	ummary	
Bid Item No's	List of Items	Bid Pric each		Bid value net of exempted imported content	Imported value	Local value	Local content % (per item)	Estimated Bid Quantity	Total Bid value	Total exempted imported content	Total imported content
(C8)	(C9)	(C10	) (C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
1	HDPE PIPES										
2	PVC PIPES										
								-			
								(C20) Total Bid value			
								(C21) Total Exemp	ot imported content		
							(C22) Total	Bid value net of exemp	ot imported content		
SIGNATURE	OF BIDER AS PER LOCA	L CONTENT DE	CLARATION						(C23) Tota	Imported content	
									(C24) <sup>-</sup>	Total local content	
DATE									(C25) Average loca	Il content % of Bid	

#### ANNEXURE D

#### SATS 1286.2011

											DATS 1200.2011
		Im	ported Con	tent Decla	aration –	Supporting	g Schedule	to Annexu	re C		
(D1)	Bid No.	Q18-2019/20							NOTE	: VAT to be exclud	ed from all calculation
(D2)	Bid Description	PIPE CRACKING RESORT	G (80 METRES) A	AT DIE DAM							
D3)	Designated product(s)	Plastic Pipes									
D4)	Bid Authority	Overberg Distric	t Municipality								
D5)	Biding Entity's Name										
D6)	Bid Exchange Rate	Currency	Rate								
A. Exempted imported content						Calculation	of imported content				Summary
Bid iten no's	Description of imported content Local supplier Local supplier Supplier Commercial Invoice		currency value as per Commercial	Bid Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost	Bid Quantity	Exempted imported value	
(D7)	(D8)	(D9)	(D10)	(D11)	(D12)	(D13)	(D14)	(D15)	(D16)	(D17)	(D18)
									<i>(D19)</i> Total exe		must correspond with
										A	nnex C – C21
3. Impo	ted directly by the Bidder		1			Calculation	of imported conten	1			Summary
Bid iten no's	Description of imported content	Unit of measure	Overseas supplier	Foreign currency value as per Commercial Invoice	Bid Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost	Bid Quantity	Total imported value
(D20)	(D21)	(D22)	(D23)	(D24)	(D25)	(D26)	(D27)	(D28)	(D29)	(D30)	(D31)
								(	D32) Total importe	d value by Bidder	

Initial

. . .

#### ANNEXURE D – Continued

#### SATS 1286.2011

### **Imported Content Declaration – Supporting Schedule to Annexure C**

											NOTE:	VAT	to be excluded	d from all calculations
C. Imported by a 3rd part	ty and supplied to the	e Bidder				Calcu	lation of i	imported content				Summary		
Description of importe content	ed Unit of measure	Local supplier	Overseas supplier	Foreign currency         Bid         Local value of           value as per         Exchange         imports           Commercial Invoice         Rate         imports		Freight costs to port of entry	All locally incurred landing costs & duties		l landed cost		Quantity imported	Total imported value		
(D33)	(D34)	(D35)	(D36)	(D37)	(D38)	(D3	9)	(D40)	(D41)	(1	D42)		(D43)	(D44)
										<i>(D45)</i> To	tal importe	ed valu	ue by 3 <sup>rd</sup> party	
D. Other foreign currenc	cy payments			Calculation of foreig	n currency pa	yments							Summary	of Payments
Type of payment	Local supplier making payment	the Oversea	as beneficiary	Foreign currency value paid	Bid rate exchar								Local value	of payments
(D46)	(D47)		(D48)	(D49)	(D50	)							(E	951)
					(Da	52) Total of	foreign o	currency payments	declared by Bidder	and/or 3	rd party			
				(D53)	Total o import	ted content	t and fore	ign currency paym	ents – <i>(</i> D32), (D45) a	and <u>(</u> <i>D</i> 52)	) above			
SIGNATURE OF	F BIDER AS PER L	OCAL CONTEN	IT DECLARATIO	NC						Т	his total	must	correspond w	ith Annex C – (C23)

DATE

Initial	

	ANNEXURE E	SATS 1286.2011									
Local content Declaration – Summary Schedule											
<i>(E1)</i> Bid No.	Q18-2019/20	NOTE: VAT to be excluded from all calculations									
(E2) Bid Description	PIPE CRACKING (80 METRES) AT DIE DAM RESORT										
(E3) Designated product(s)	Plastic Pipes										
(E4) Bid Authority	Overberg District Municipality										
(E5) Biding Entity's Name											

LOCAL PRODUCTS (Goods, Services and Works)										
Description of items purchased	Local suppliers	Value								
(E6)	(E7)	(E8)								
(E9) Total loc	al products (Goods, service and works)									
<i>(E10)</i> Manp	ower costs (Bidder's own manpower cost)									
(E11) Factory evertanda (Pantal depresiation & or										

(E11) Factory overheads (Rental, depreciation & amortization, utility costs, consumables, etc.)

(E12) Administration overheads and mark-up (Marketing, insurance, financing interest, etc.)

(E13) Total local content

This total must correspond with Annex C – C24

SIGNATURE OF BIDER AS PER LOCAL CONTENT DECLARATION

DATE

										S	ATS 1286.201
				Local Conten		(URE C	now Cohod				
		Q18-2019/20		Local Conten	t Declarati	on – Sumr	nary Sched	ule	NOTE		
(C1) Bid No.									NOTE: V	AT to be excluded fr	om all calculatio
(C2) Bid Des	· · ·			ES) AT DIE DAM F							
	ated product(s)			e Fittings and Spe	cials						
(C4) Bid Aut	•	Overberg Dist	rict Municipality	ý							
	of Biding Entity										
(C6) Bid Exchange Rate     Currency       (C7) Specified local content %     100%				Rate							
(C7) Specifi	ed local content %	100%			• • •						
			<u> </u>	Calculation of loc	al content				Bid su		
Bid Item No's	List of Items	Bid Price – each	Exempted imported value	Bid value net of exempted imported content	Imported value	Local value	Local content % (per item)	Estimated Bid Quantity	Total Bid value	Total exempted imported content	Total imported content
(C8)	(C9)	(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
3	FLANGES										
							(	(C20) Total Bid value			
								(C21) Total Exempt	t imported content		
							(C22) Total B	Bid value net of exemp	t imported content		
SIGNATURE	OF BIDER AS PER LOCAL	CONTENT DECLA	RATION						(C23) Total I	mported content	
									(C24) To	otal local content	
DATE (C25) Average local content % of Bid											
										L	
							Ini	tial			

#### ANNEXURE D

#### SATS 1286.2011

			Import	ted Cont	ent Decla	ration –	Supporting	g Schedule	to Annexu	re C			
(D1)	Bid No.	Q18-2019/2	20							NC	DTE: VA	T to be excluded	from all calculations
(D2)	Bid Description	PIPE CRAC RESORT	CKING (80	METRES) A	T DIE DAM								
(D3)	Designated product(s)	Steel Conve Specials	eyance Pip	es, Pipe Fitti	ngs and								
(D4)	Bid Authority	<b>5 1 3</b>											
(D5)	Biding Entity's Name												
(D6)	Bid Exchange Rate	Currency		Rate									
A. Exen	npted imported content					Calculation of imported content							ummary
Bid iter no's	n Description of imported content	Local sup	oplier	Overseas supplier	Foreign currency value as per Commercial Invoice	Bid Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost	d	Bid Quantity	Exempted imported value
(D7)	(D8)	(D9)		(D10)	(D11)	(D12)	(D13)	(D14)	(D15)	(D16)		(D17)	(D18)
										<i>(D19)</i> Total	l exempt i	imported value	
													ust correspond with lex C – C21

B. Imported	I directly by the Bidder			Calculation of imported content								Summary		
Bid item no's	Description of imported content	Unit of measure	Overseas supplier	Foreign currency value as per Commercial Invoice	Bid Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost		Bid Quantity	Total imported value		
(D20)	(D21)	(D22)	(D23)	(D24)	(D25)	(D26)	(D27)	(D28)	(D29)		(D30)	(D31)		

(D32) Total imported value by Bider

#### **ANNEXURE D – Continued**

#### **Imported Content Declaration – Supporting Schedule to Annexure C**

Imported Content Declaration – Supporting Schedule to Annexite C

C. Imported by a 3 <sup>rd</sup> p	party and supp	olied to the	Bidder				Calculation of	f imported content					Summary
Description of impo content	orted U	Init of	Local supplier Overseas supplier		Foreign currency value as per Commercial Invoice	Bid Exchange Rate	Local value of imports	Freight costs to port of entry Costs & duties		Total landed cost		Quantity imported	Total imported value
(D33)	(1	(D34)	(D35)	(D36)	(D37)	(D38)	(D39)	(D40)	(D41)	(D42)		(D43)	(D44)
											-		
										(D45) Total importe	ed val	ue by 3 <sup>rd</sup> party	
D. Other foreign curre	ency payments	ts			Calculation of foreig	n currency pa	yments					Summary	of Payments
Type of payment	Local supplic	ier making t /ment	the Oversea	as beneficiary	Foreign currency value paid	e of ge					Local value	of payments	
(D46)	(D	D47)		(D48)	(D49)	(D50)	)					(L	051)
										_			
						(D:	52) Total of foreign	currency payments	declared by Bidder	and/or 3 <sup>rd</sup> party			
					(D53)	Fotal o import	ed content and for	eign currency paym	ents – <i>(D32), (D45)</i> a	and <i>(D52)</i> above			
SIGNATURE	OF BIDER A	AS PER LO	CAL CONTEN	T DECLARATIO	DN .					This total r	nust	correspond w	ith Annex C – (C23)
													· · · · ·

DATE



#### NOTE: VAT to be excluded from all calculations

SATS 1286.2011

ANNEXURE SATS 1286.2011 Local content Declaration – Summary Schedule											
<i>(E1)</i> Bid No.	Q18-2019/20	NOTE: VAT to be excluded from all calculations									
(E2) Bid Description	PIPE CRACKING (80 METRES) AT DIE DAM RESORT										
(E3) Designated product(s)	Steel Conveyance Pipes, Pipe Fittings and Specials										
(E4) Bid Authority	Overberg District Municipality										
(E5) Biding Entity's Name											

LOCAL PRODUCTS (Goods, Services and Works)						
Description of items purchased	Local suppliers	Value				
(E6)	(E7)	(E8)				
(E9) Total local products (Goods, service and works)						

(E10) Manpower costs (Bidder's own manpower cost)

(E11) Factory overheads (Rental, depreciation & amortization, utility costs, consumables, etc.)

(E12) Administration overheads and mark-up (Marketing, insurance, financing interest, etc.)

(E13) Total local content

This total must correspond with Annex C – C24

SIGNATURE OF BIDER AS PER LOCAL CONTENT DECLARATION

DATE

										5	ATS 1286.201
						(URE C					
		040.0040/00		Local Conten	it Declarati	on – Sumi	nary Schedi	uie	NOTE		
C1) Bid No.		Q18-2019/20							NOTE: V	AT to be excluded fr	om all calculation
C2) Bid Des			,	ES) AT DIE DAM F							
	ited product(s)	-		ents for Construction	on						
C4) Bid Aut	•	Overberg Dis	trict Municipality	у							
-	f Biding Entity										
C6) Bid Exc		Currency			Rate						
C7) Specifie	d local content %	100%						[			
				Calculation of loc	al content				Bid su		
Bid Item No's	List of Items	Bid Price - each	Exempted imported value	Bid value net of exempted imported content	Imported value	Local value	Local content % (per item)	Estimated Bid Quantity	Total Bid value	Total exempted imported content	Total imported content
(C8)	(C9)	(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
4	Bolts and Nuts										
							(	C20) Total Bid value			
								(C21) Total Exempt	imported content		
							(C22) Total B	id value net of exemp	t imported content		
SIGNATURE	OF BIDER AS PER LOCAL	CONTENT DECL	ARATION						(C23) Total	Imported content	
									(C24) To	otal local content	
DATE									(C25) Average local	content % of Bid	
							Init	tial			

						ANNE	XURE D					S	ATS 1286.2011
		In	nported	d Cont	ent Decla	aration –	Supporting	g Schedule	to Annexu	re C			
(D1)	Bid No.	Q18-2019/20								N	IOTE: VA	T to be exclude	d from all calculations
(D2)	Bid Description	PIPE CRACKII RESORT	NG (80 ME	TRES) A	T DIE DAM								
(D3)	Designated product(s)	Steel Products Construction	and Comp	onents fo	or								
(D4)	Bid Authority	Overberg Distr	ct Municip	ality									
(D5)	Biding Entity's Name												
(D6)	Bid Exchange Rate	Currency		Rate									
A. Exem	pted imported content						Calculation of	of imported content	:			;	Summary
Bid iten no's	n Description of imported content	Local supplie		rseas oplier	Foreign currency value as per Commercial Invoice	Bid Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total land cost	led	Bid Quantity	Exempted imported value
(D7)	(D8)	(D9)	(D	)10)	(D11)	(D12)	(D13)	(D14)	(D15)	(D16)		(D17)	(D18)

(D19) Total exempt imported value

This total must correspond with Annex C – C21

B. Imported	I directly by the Bider			Calculation of imported content							Summary		
Bid item no's	Description of imported content	Unit of measure	Overseas supplier	Foreign currency value as per Commercial Invoice	Bid Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost		Bid Quantity	Total imported value	
(D20)	(D21)	(D22)	(D23)	(D24)	(D25)	(D26)	(D27)	(D28)	(D29)		(D30)	(D31)	
										Ī			
	(D2) Tatal imported value by Bidden												

Initial

(D32) Total imported value by Bidder

68

#### **ANNEXURE D – Continued**

#### **Imported Content Declaration – Supporting Schedule to Annexure C**

NOTE: Calculation of imported content Summary C. Imported by a 3rd party and supplied to the Bidder Foreign currency Bid All locally Description of imported Unit of Local value of Freight costs to Total landed Quantity Overseas Local supplier incurred landing Total imported value value as per Exchange content measure supplier imports port of entry cost imported Commercial Invoice Rate costs & duties (D33) (D34) (D35) (D36) (D37) (D38) (D39) (D40) (D41) (D42) (D43) (D44) (D45) Total imported value by 3rd party Coloulation of familian assume as a summaria Commence of Deciments

D. Other foreign curr	ency payments		Calculation of foreig	n currency payments		Summary of Payments		
Type of payment	Local supplier making the payment	Overseas beneficiary	Foreign currency value paid	Bid rate of exchange		Local value of payments		
(D46)	(D47)	(D48)	(D49)	(D50)		(D51)		
				<i>(D52)</i> Total	of foreign currency payments declared by Bidder and/or 3 <sup>rd</sup> party			
	(D53) Total o imported content and foreign currency payments – (D32), (D45) and (D52) abov							

This total must correspond with Annex C – (C23)

SIGNATURE OF BIDER AS PER LOCAL CONTENT DECLARATION

DATE

# Initial

#### VAT to be excluded from all calculations

SATS 1286.2011

		ANNEXURE E SATS 1286.2011
	nary Schedule	
<i>(E1)</i> Bid No.	Q18-2019/20	NOTE: VAT to be excluded from all calculations
(E2) Bid Description	PIPE CRACKING (80 METRES) AT DIE DAM RESORT	
(E3) Designated product(s)	Steel Products and Components for Construction	
(E4) Bid Authority	Overberg District Municipality	
(E5) Biding Entity's Name		

LOCAL PRODUC	LOCAL PRODUCTS (Goods, Services and Works)							
Description of items purchased	Local suppliers	Value						
(E6)	(E7)	(E8)						
	I products (Goods, service and works)							

(E9) Total local products (Goods, service and works)

(E10) Manpower costs (Bidder's own manpower cost)

(E11) Factory overheads (Rental, depreciation & amortization, utility costs, consumables, etc.)

(E12) Administration overheads and mark-up (Marketing, insurance, financing interest, etc.)

(E13) Total local content

This total must correspond with Annex C – C24

SIGNATURE OF BIDER AS PER LOCAL CONTENT DECLARATION

DATE

					<b>.</b>						5	SATS 1286.201
						KURE C						
				Local Conten	t Declarat	on – Sumi	nary Sched	ule				
(C1) Bid No		Q18-2019/20								NOTE: N	/AT to be excluded f	rom all calculation
(C2) Bid De				ES) AT DIE DAM F	RESORT							
	ated product(s)		ts and Actuator									
(C4) Bid Au		Overberg Dis	trict Municipality	/								
	of Biding Entity											
(C6) Bid Ex	change Rate	Currency			Rate							
(C7) Specif	ied local content %	70%										
	Calculation of local content									Bid su	mmary	
Bid Item No's	List of Items	Bid Price - each	Exempted imported value	Bid value net of exempted imported content	Imported value	Local value	Local content % (per item)		Estimated Bid Quantity	Total Bid value	Total exempted imported content	Total imported content
(C8)	(C9)	(C10)	(C11)	(C12)	(C13)	(C14)	(C15)		(C16)	(C17)	(C18)	(C19)
5	Valves											
6	Hydrant											
							(	(C20)	) Total Bid value			
								(	(C21) Total Exemp	t imported content		
							(C22) Total E	Bid v	alue net of exemp	t imported content		
SIGNATUR	E OF BIDER AS PER LOCAL	CONTENT DECL	ARATION							(C23) Total	Imported content	
										(C24) T	otal local content	
DATE										(C25) Average local	content % of Bid	
							т!	41.1	1			
							Ini	tial	1			

#### ANNEXURE D

#### SATS 1286.2011

			Import	ed Cont	tent Decla	aration –	Supporting	g Schedule	to Annexu	re C				
(D1)	Bid No.	Q18-2019/2	20								NOTE: V	AT to be excluded	from all calculations	
(D2)	Bid Description	PIPE CRAC RESORT	CKING (80 I	/IETRES) A	T DIE DAM									
(D3)	Designated product(s)	Valve Prod	ucts and Ac	tuators										
(D4)	Bid Authority	Overberg D	District Muni	cipality										
(D5)	Biding Entity's Name													
(D6)	Bid Exchange Rate	Currency		Rate										
A. Exer	mpted imported content						Calculation	of imported content	-			Summary		
Bid ite no's		Local sup	anlior	)verseas supplier	Foreign currency value as per Commercial Invoice	Bid Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total la cos		Bid Quantity	Exempted imported value	
(D7)	(D8)	(D9)	)	(D10)	(D11)	(D12)	(D13)	(D14)	(D15)	(D1	6)	(D17)	(D18)	
	(D19) Total exempt imported value This total must correspond with Annex C – C21													
													UN O ULI	

B. Imported	I directly by the Bidder					Calculation of	of imported content					Summary
Bid item no's	Description of imported content	Unit of measure	Overseas supplier	Foreign currency value as per Commercial Invoice	Bid Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost	Q	Bid Quantity	Total imported value
(D20)	(D21)	(D22)	(D23)	(D24)	(D25)	(D26)	(D27)	(D28)	(D29)		(D30)	(D31)
(D32) Total imported value by Bider												

#### **ANNEXURE D – Continued**

#### **Imported Content Declaration – Supporting Schedule to Annexure C**

#### NOTE: VAT to be excluded from all calculations Summary Calculation of imported content C. Imported by a 3<sup>rd</sup> party and supplied to the Bidder Foreign currency Bid All locally Description of imported content Freight costs to Unit of Overseas Local value of Total landed Quantity incurred landing Total imported value Local supplier value as per Exchange measure supplier imports port of entry cost imported Commercial Invoice Rate costs & duties (D34) (D35) (D40) (D44) (D33) (D36) (D37) (D38) (D39) (D41) (D42) (D43) (D45) Total imported value by 3rd party

D. Other foreign curre	ency payments		Calculation of foreig	n currency payments			Summary of Payments
Type of payment	Local supplier making the payment	Overseas beneficiary	Foreign currency value paid	Bid rate of exchange			Local value of payments
(D46)	(D47)	(D48)	(D49)	(D50)			(D51)
	1	I	1	(D52) Total (	ا of foreign currency payments declared by Bidder and	/or 3 <sup>rd</sup> party	
			(D53)	Total o imported conte	nt and foreign currency payments – (D32), (D45) and (	D52) above	
SIGNATURE	OF BIDER AS PER LOCA	L CONTENT DECLARATIO	NC			This tota	must correspond with Annex C – (C23)

IGNATORE OF BIDERAGTER LOOKE CONTENT DEC

DATE

#### SATS 1286.2011

	Local content Declaration – Sum	ANNEXURE E SATS 1286.2011 mary Schedule
<i>(E1)</i> Bid No.	Q18-2019/20	NOTE: VAT to be excluded from all calculations
(E2) Bid Description	PIPE CRACKING (80 METRES) AT DIE DAM RESORT	
(E3) Designated product(s)	Valve Products and Actuators	
(E4) Bid Authority	Overberg District Municipality	1
(E5) Biding Entity's Name		]

LOCAL PRODUCTS (Goods, Services and Works)		
Description of items purchased	Local suppliers	Value
(E6)	(E7)	(E8)

(E9) Total local products (Goods, service and works)

(E10) Manpower costs (Bidder's own manpower cost)

(E11) Factory overheads (Rental, depreciation & amortization, utility costs, consumables, etc.)

(E12) Administration overheads and mark-up (Marketing, insurance, financing interest, etc.)

(E13) Total local content

This total must correspond with Annex C – C24

SIGNATURE OF BIDER AS PER LOCAL CONTENT DECLARATION

DATE

Initial

75